



NEMESIS

Nederlandse studie naar gezondheid en welzijn

Dit is een automatisch gegenereerde PDF van datum 16 July 2025. Dit is geen officiële uitgave van Nemesis. De meest recente cijfers staan altijd op www.cijfers.trimbos.nl/nemesis.

Hoe te verwijzen

NEMESIS. Over de studie NEMESIS.

<https://www.cijfers.trimbos.nl/nemesis>

Geraadpleegd op: 16 July 2025. Trimbos-instituut, Utrecht.



Publicaties

Sinds 1996 zijn er veel rapporten en wetenschappelijke artikelen gepubliceerd met gegevens van de NEMESIS-studies. Hieronder vindt u per studie een overzicht van de publicaties.

Publicaties NEMESIS-3

Internationale artikelen

2025

- Nuyen, J., van Dorsselaer, S., Tuithof, M. et al. *Associations of common mental disorder severity with treatment contact and treatment intensity, and its changes over twelve years*. *Soc Psychiatry Psychiatr Epidemiol* (2025).
<https://doi.org/10.1007/s00127-025-02869-5>

2024

- Ten Have, M., Van Bon-Martens, M. J., Schouten, F., Van Dorsselaer, S., Shields-Zeeman, L., & Luik, A. I. (2024). *Validity of the five-item mental health inventory for screening current mood and anxiety disorders in the general population*. *International Journal of Methods in Psychiatric Research*, 33(3), e2030.

2023

- Have M. ten, Tuithof M., Dorsselaer S. van, Schouten F., Graaf R. de. *Netherlands Mental Health Survey and Incidence Study-3 (NEMESIS-3): Objectives, methods and baseline characteristics of the sample*. *International Journal of Methods in Psychiatric Research*. 2023; 32(1): e1942. doi:10.1002/mpr.1942.
- Have M. ten, Tuithof M., Dorsselaer S. van, Schouten F., Luik A. I., Graaf R. de. *Prevalence and trends of common mental disorders from 2007-2009 to 2019-2022: results from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS), including comparison of prevalence rates before vs. during the COVID-19 pandemic*. *World Psychiatry*. 2023;22(2):275-285. doi:10.1002/wps.21087

Nederlandstalige artikelen

2023

- Have, M. ten (2023). *Nederlands-Vlaams top onderzoek: Prevalentie van veelvoorkomende psychische aandoeningen en trends*. *Tijdschrift voor Psychiatrie*
- Have, M. ten (2023). *Impactvol Nederlands-Vlaams onderzoek: Methode van de psychiatrisch-epidemiologische studie NEMESIS-3*. *Tijdschrift voor Psychiatrie*
- Dorsselaer, S. van, Ramaker, V., ten Have, M., de Gee, A. KOPP/KOV: Feiten en cijfers. Landelijke omvang KOPP/KOV-groep. Trimbos-instituut, Utrecht



Publicaties NEMESIS-2

Internationale artikelen

2023

- Boer, N. de, Vermeulen, J., Lin, B. C., Os, J. van, Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., Rutten, B., Batalla, C. A., Guloksuz, S., Luykx, J. J. (2023). **Longitudinal associations between alcohol use, smoking, genetic risk scoring, and symptoms of depression in the general population: a prospective six-year cohort study.** *Psychological Medicine*, 53, 1409-1417. doi:10.1017/S0033291721002968.
- Monshouwer, K., Have, M. ten, Tuithof, M., Dorsselaer, S. van, Bak, M., Gunter, N., Delespaul, P., Os, J. van, Graaf, R. de (2022). **Prevalence, incidence, and persistence of psychotic experiences in the general population: results of a 9-year follow-up study.** *Psychological Medicine*, 1-12. doi: 10.1017/S0033291722002690.
- Os, J. van, Pries, L., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., Kenis, G., Lin, B. D., Gunther, N., Luykx, J. L., Rutten, B. P. F., Guloksuz, S. (2023). **Context v. algorithm: Evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis.** *Psychological Medicine*, 53(5), 1825-1833. doi:10.1017/S0033291721003445
- Paquin, V., Pries, L-K., Have, M. ten, Bak, M., Gunther, N., Graaf, R. de, Dorsselaer, S. van, Lin, B.D., Eijk, K.R. van, Kenis, G., Richards, A., O'Donovan, M.C., Luykx, J.J., Rutten, B.P.F., Os, J. van, Shah, J.L. & Guloksuz, S. (2023). **Age- and sex-specific associations between risk scores for schizophrenia and self-reported health in the general population.** *Social Psychiatry and Psychiatric Epidemiology*, 58, 43-52. doi: 10.1007/s00127-022-02346-3.
- Scholten, W., Have, M. ten, Geel, C. van, Balkom, T. van, Graaf, R. de, & Batelaan, N. (2023). **Recurrence of anxiety disorders and its predictors in the general population.** *Psychological Medicine*, 53, 1334-1342. doi:10.1017/S0033291721002877.
- Schouten, M. J. E., Have, M. ten, Tuithof, M., Graaf, R. de, Dekker, J. J. M., Goudriaan, A. E., & Blankers, M. (2023). **Alcohol use as a predictor of the course of major depressive disorder: a prospective population-based study.** *Epidemiology and Psychiatric Sciences*, 32(14), 1-8. doi: 10.1017/S2045796023000070.
- Souama, C., Lamers, F., Milaneschi, Y., Vinkers, C., Defina, S., Garvert, L., Stein, F., Woofenden, T., Brosch, K., Dannlowski, U., Galenkamp, H., Graaf, R. de, Jaddoe, V. W. V., Lok, A., Rijn, B. B. van, Völzke, H., Cecil, C. A. M., Felix, J. F., Grabe, H. J., Kircher, T., Lekadir, K., Have, M. ten, Walton, E., Penninx, B. W. J. H. (2023). **Depression, cardiometabolic disease, and their co-occurrence after childhood maltreatment: an individual participant data meta-analysis including over 200,000 participants.** *BMC Medicine* 2023; 21(93), 1-16. doi: 10.1186/s12916-023-02769-y.



- Wijnen, B., Have, M. ten, Graaf, R. de, Hoek, H. J. van der, Lokkerbol, J., Smit, F. (2023). The economic burden of mental disorders: Results from the Netherlands Mental Health Survey and Incidence Study-2. *The European Journal of Health Economics*. doi: 10.1007/s10198-023-01634-2.

2022

- Andel, E. van, Have, M. ten, Bijlenga, D., Beekman, A. T. F., Graaf, R. de, & Sandra Kooij, J. J. (2022). Combined impact of ADHD and insomnia symptoms on quality of life, productivity, and health care use in the general population. *Psychological medicine*, 52(1), 36–47. doi:10.1017/S0033291720001592.
- Beekman, R.A.L., Have, M. ten, Graaf, R. de, Kupka, R.W., Regeer, E.J. (2022). Course of subthreshold manic symptoms and related risk factors in the general population: A three-year follow-up study. *Bipolar Disorder*, 25, 148-157. doi: 10.1111/bdi.13285.
- Geluk Rouwhorst, A., Ten Have, M., de Graaf, R., & Batelaan, N. M. (2022). The impact of borderline personality disorder symptoms on onset and course of anxiety disorders: Results of a general population study. *Personality disorders*, Online ahead of print. doi:10.1037/per0000598.
- Have, M. ten, Tuithof, M., Dorsselaer, S. van, Beurs, D de., Graaf, R. de, Batelaan, N. M., & Penninx, B. W. J. H. (2022). How chronic are depressive and anxiety disorders? 9-year general population study using narrow and broad course outcomes. *Journal of affective disorders*, 317, 149–155. doi:10.1016/j.jad.2022.08.083
- Monshouwer, K., Have, M. ten, Tuithof, M., Dorsselaer, S. van, Bak, M., Gunter, N., Delespaul, P., Os, J. van, & Graaf, R. de (2022). Prevalence, incidence, and persistence of psychotic experiences in the general population: results of a 9-year follow-up study. *Psychological medicine*, Online ahead of print. doi:10.1017/S0033291722002690.
- Pasman, J. A., Demange, P. A., Guloksuz, S., Willemsen, A. H. M., Abdellaoui, A., Have, M. ten, Hottenga, J. J., Boomsma, D.I., Geus, E. de, Bartels, M., Graaf, R. de, Verweij, K.J.H., Smit, D. J., Nivard, M., Vink, J. M. (2022). Genetic Risk for Smoking: Disentangling Interplay Between Genes and Socioeconomic Status. *Behavior Genetics*, 52(2), 92-107. doi: 10.1007/s10519-021-10094-4.
- Tuithof, M., Have, M. ten, Dorsselaer, S. van, Beurs, D. de, Brink, W. van den, Graaf, R. de, Vermunt, J. K. (2022). Identification of latent alcohol use groups and transitions over time using a 9-year follow-up study in the adult general population. *European Addiction Research*, 28(6), 425-435. doi: 10.1159/000526137.
- Ummels, S. A., Seldenrijk, A., Bos, E. H., Graaf, R. de, Batelaan, N. M., Have, M. ten. (2022). The bidirectional relationship between anxiety disorders and alcohol use disorders in adults: Findings from a longitudinal population-based study. *Journal of Affective Disorders*, 1(314), 126-132. doi: 10.1016/j.jad.2022.06.091.
- Radhakrishnan, R., Pries, L. K., Erzin, G., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Gunther, N., Bak, M., Rutten, B. P. F., Os, J. van, & Guloksuz, S. (2022). Bidirectional relationships between cannabis use, anxiety and depressive symptoms in the mediation of the association with psychotic experience: further support for an affective pathway to psychosis. *Psychological medicine*, Online ahead of print. doi:10.1017/S0033291722002756.



- Rouwhorst, A. G., Have, M. ten, Graaf, R. de, Batelaan, N. M. (2022). The impact of borderline personality disorder symptoms on onset and course of anxiety disorders: Results of a general population study. *Personality Disorders*, 14, 360-368. doi: 10.1037/per0000598.
- Wit, L. de, Have, M. ten, Cuijpers, P., Graaf, R. de (2022). Body Mass Index and risk for onset of mood and anxiety disorders in the general population: Results from the Netherlands Mental Health Survey and Incidence Study-2 (NEMESIS-2). *BMC Psychiatry*, 22(522), 1-11. doi: 10.1186/s12888-022-04077-w.

2021

- Baams, L., Have, M. ten, Graaf, R. de & Jonge, P. de (2021). Childhood trauma and bullying-victimization as an explanation for differences in mental disorders by sexual orientation. *Journal of Psychiatric Research*, 137, 225-231. doi:10.1016/j.jpsychires.2021.02.046.
- Botter, L., Have, M. ten, Gerritsen, D., Graaf, R. de, Dijk, S. D. M. van, van den Brink, R. H. S. van den, & Oude Voshaar, R. C. (2021). Impact of borderline personality disorder traits on the association between age and health-related quality of life: A cohort study in the general population. *European Psychiatry* , 64(1), e33. doi:10.1192/j.eurpsy.2021.27.
- Hasmi, L., Pries, L.-K., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., . . . Os, J. van (2021). What makes the psychosis 'clinical high risk' state risky: psychosis itself or the co-presence of a non-psychotic disorder. *Epidemiology and Psychiatric Sciences*, 30, e53. doi:10.1017/S204579602100041X.
- Have, M. ten, Tuihof, M., Dorsselaer, S. van, Beurs, D. de, Jeronimus, B., Jonge, P. de & Graaf, R. de. (2021). The Bidirectional Relationship Between Debts and Common Mental Disorders: Results of a longitudinal Population-Based Study. *Administration and Policy in Mental Health and Mental Health Services Research*, 48(5), 810-820. doi:10.1007/s10488-021-01131-9.
- Have, M. ten, Tuihof, M., Dorsselaer, S. van, Kleinjan, M., Penninx, B. W., Batelaan, N. M., & Graaf, R. de (2021). Duration of anxiety disorder and its associated risk indicators: Results of a longitudinal study of the general population. *Depression and Anxiety*, Online ahead of print. doi:10.1002/da.23103.
- Kocevska, D., Lysen, T. S., Dotinga, A., Koopman-Verhoeff, M. E., Luijk, M. P. C. M., Antypa, N., Have, M. ten, Graaf, R. de, . . . Tiemeier , H. (2021). Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. *Nature Human Behaviour*, 5, 113-122. doi:10.1038/s41562-020-00965-x.
- Monshouwer, K., Have, M. ten, Graaf, R. de, Blankers, M., & Laar, M. van (2021). Tobacco Smoking and the Association With First Incidence of Mood, Anxiety, and Substance Use Disorders: A 3-Year Prospective Population-Based Study. *Clinical Psychological Science*, 9(3), 403-412. doi:10.1177/2167702620959287.
- Moriyama, T. S., Drukker, M., Güloksüz, S., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Gunther, N., Bak, M., & Os, J. van (2020). Evidence for an interrelated cluster of hallucinatory experiences in the general population: an incidence study. *Psychological medicine*, 51(12), 2034-2043. doi:10.1017/S0033291720000793.



- Noteboom, A., Have, M. ten, Graaf, R. de, Beekman, A., Penninx, B. & Lamers, F. (2021). **The long-lasting impact of childhood trauma on adult chronic physical disorders**. Journal of Psychiatric Research , 136, 87-94. doi:10.1016/j.jpsychires.2021.01.031.
- Nuyen, J., Bos, E. H., Jonge, P. de, Dorsselaer, S. van, Tuithof, M., Kleinjan, M., Graaf, R. de, & Have, M. ten (2021). **Longitudinal bidirectional associations between internalizing mental disorders and cardiometabolic disorders in the general adult population**. Social Psychiatry and Psychiatric Epidemiology, 56, 1611-1621. doi:10.1007/s00127-020-02007-3.
- Os, J. van, Pries, L-K., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., . . . Guloksuz, S. (2021). **Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Association-The Example of Cannabis and Psychosis**. Schizophrenia Bulletin, 47(3), 594-603. doi:10.1093/schbul/sbab019
- Pries, L-K., Erzin, G., Os, J. van, Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., Rutten, B. P. F., & Guloksuz, S. (2020). **Predictive performance of exposome score for schizophrenia in the general population**. Schizophrenia Bulletin, 47(2), 277-283. doi:10.1093/schbul/sbaa170.
- Rauschenberg, C., Reininghaus, U., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Simons, C. J. P., Geurts - Gunther, N. C. H. F., Henquet, C., Pries, L. K., Guloksuz, S., Bak, M., & Os, J. van (2021). **The jumping to conclusions reasoning bias as a cognitive factor contributing to psychosis progression and persistence: findings from NEMESIS-2**. Psychological Medicine, 51(10), 1696-1703. doi:10.1017/S0033291720000446.
- Schopman, S. M. E., Have, M. ten, Balkom, A. J. L. M. van, Graaf, R. de & Batelaan, N. M. (2021). **Course trajectories of anxiety disorders: Results from a 6-year follow-up in a general population study**. Australian & New Zealand Journal of Psychiatry, 1-9. doi:10.1177/00048674211009625.
- Wetzer, G., Have, M. ten, Graaf, R. de, Batelaan, N. M. & Balkom, A. J. L. M. van (2021). **Specific Phobia: Risk Factor of Other Psychiatric Disorders**. Journal of Nervous and Mental Disease , 209(7), 484-490. doi:10.1097/NMD.0000000000001341.

2020

- Christ, C., Have, M. ten, Graaf, R. de, Schaik, D. J. F. van, Kikkert, M. J., Dekker, J. J.M., & Beekman, A. T. F. (2020). **Mental disorders and the risk of adult violent and psychological victimisation: a prospective, population-based study**. Epidemiology and Psychiatric Sciences, 29, e13. doi:10.1017/S2045796018000768.
- Gülösüz, S., Pries, L. K., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Klingenberg, B., . . Os, J. van (2020). **Association of preceding psychosis risk states and non-psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS-2 cohort**. World Psychiatry, 19(2), 199-205. doi:10.1002/wps.20755.
- Heer, E. W. de, Have, M. ten, Marwijk, H. W. J. van, Dekker, J., Graaf, R. de, & Feltz-Cornelis, C. M. van der (2019). **Pain as a risk factor for suicidal ideation. A population-based longitudinal cohort study**. General Hospital Psychiatry, 63, 54-61.



doi:10.1016/j.genhosppsych.2018.11.005.

- Knipscheer, J. W., Sleijpen, M., Frank, L., Graaf, R. de, Kleber, R. J., Have, M. ten, & Dückers, M. L. A. (2020). Prevalence of potentially traumatic events, other life events and subsequent reactions indicative for posttraumatic stress disorder in the Netherlands: A general population study based on the Trauma Screening Questionnaire. International Journal of Environmental Research and Public Health, 17(5), 1725. doi:10.3390/ijerph17051725.
- Marsman, A., Pries, L-K., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., . . . Os, J. van (2020). Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health? Schizophrenia Bulletin, 46(6), 1353-1362. doi:10.1093/schbul/sbaa086.
- Nuijen, J., Tuithof, M., Dorsselaer, S. van, Graaf, R. de, Kleinjan, M., & Have, M. ten (2019). The bidirectional relationship between loneliness and common mental disorders in adults: findings from a longitudinal population-based cohort study. Social Psychiatry and Psychiatric Epidemiology, 55(10), 1297-1310. doi:10.1007/s00127-019-01778-8.
- Os, J. van, Pries, L-K., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Delespaul, P., . . . Guloksuz, S. (2022). Evidence and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. Psychological Medicine, 52(10), 1910-1922. doi:10.1017/S0033291720003748.
- Pries, L.K., Os, J. van, Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Bak, M., . . . Guloksuz, S. (2020). Association of recent stressful life events with mental health and physical health in the context of genomic and exposomic liability for schizophrenia. JAMA Psychiatry, 77(12), 1296-1304. doi:10.1001/jamapsychiatry.2020.2304.
- Santini, Z.I., Torres-Sahli, M., Hinrichsen, C., Meilstrup, C., Madsen, K.R., Rayce, S.B., Have, M. ten, . . . Koushede, V. (2020). Measuring positive mental health and flourishing in Denmark: validation of the mental health continuum-short form (MHC-SF) and cross-cultural comparison across three countries. Health and Quality of Life Outcomes, 18(1), 297. doi:10.1186/s12955-020-01546-2.
- Vries, Y. A. de, Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Ruiter N. M. P. de, & Jonge, P. de (2020). The relationship between mental disorders and actual and desired subjective social status. Epidemiology and Psychiatric Sciences, 29, e83. doi:10.1017/S2045796019000805.

2019

- Beurs, D. de, Have, M. ten, Cuijpers, P., Graaf, R. de (2019). The longitudinal association between lifetime mental disorders and first onset or recurrent suicide ideation. BMC Psychiatry, 19(1), 345. doi:10.1186/s12888-019-2328-8
- Bosman, R. C., Have, M. ten, Graaf, R. de, Muntingh, A. D., Balkom, A. J. van, & Batelaan, N. M. (2019). Prevalence and course of subthreshold anxiety disorder in the general population: A three-year follow-up study. Journal of Affective Disorders(247), 105-113.
- Generaal, E., Hoogendoijk, E. O., Stam, M., Henke, C. E., Rutters, F., Ten Have, M., De Graaf, R., . . . Penninx, B.W.J.H. (2019). Neighbourhood characteristics and prevalence and severity of depression: pooled analysis of eight Dutch cohort studies. British Journal of Psychiatry, 215(2), 468-475. doi:10.1192/bjp.2019.100.



- Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Tuithof, M., Kleinjan, M., & Penninx, B. (2019). Childhood maltreatment, vulnerability characteristics and adult incident common mental disorders: 3-year longitudinal data among >10,000 adults in the general population. *Journal of Psychiatric Research*, 113, 199-207.
- Joling, K. J., Have, M. ten, Graaf, R. de, O'Dwyer, S. T. (2019). Risk factors for suicidal thoughts in informal caregivers. Results from the population-based Netherlands Mental Health Survey and Incidence Study-2 (NEMESIS-2). *BMC Psychiatry*, 19, 320. doi:10.1186/s12888-019-2317-y.
- Radhakrishnan, R., Guloksuz, S., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Gunther, N., . . . Os, J. van (2019). Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. *Psychological Medicine*, 49, 1879-1889. doi:10.1017/S0033291718002635.
- Reininghaus, U., Rauschenberg, C., Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Simons, C.J.P., . . . Os, J. van (2019). Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. *Psychological Medicine*, 49(11), 1799-1809. doi:10.1017/S0033291718002209.
- Schotanus-Dijkstra, M., Keyes, C. L. M., Graaf, R. de, & Have, M. ten (2019). Recovery from mood and anxiety disorders: The influence of positive mental health. *Journal of Affective Disorders*, 252, 107-113.
- Steen, Y. van der, Myin-Germeys, I., Nierop, M. van, Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Os, J. van, & Winkel, R. van (2019). 'False-positive' self-reported psychotic experiences in the general population: an investigation of outcome, predictive factors and clinical relevance. *Epidemiology and Psychiatric Sciences*, 28(5), 532-543. doi:10.1017/S2045796018000197.
- Veerbeek, M. A., Have, M. ten, Dorsselaer, S. A. van, Oude Voshaar, R. C., Rhebergen, D., & Willemse B. M. (2019). Differences in alcohol use between younger and older people: results from a general population study. *Drug and Alcohol Dependence*(202), 18-23. doi:10.1016/j.drugalcdep.2019.04.023
- Vogel, S. W. N., Have, M. ten, Bijlenga, D., Graaf, R. de, Beekman, A. T. F., & Kooij, J. J. S (2019). Seasonal Variations in the Severity of ADHD Symptoms in the Dutch General Population. *Journal of Attention Disorders*, 23(9), 924-930.

2018

- Bos, E. H., Have, M. ten, Dorsselaer, S. van, Jeronimus, B. F., Graaf, R. de & Jonge, P. de. (2018). Functioning before and after a major depressive episode: pre-existing vulnerability or scar? A prospective three-wave population-based study. *Psychological Medicine*, 14, 2264-2272. doi:10.1017/S0033291717003798.
- Ditzhuijzen J. van, Have M. ten, Graaf R. de, Nijnatten C.H.C.J. van, Vollebergh W.A.M. (2018). Long-term incidence and recurrence of common mental disorders after abortion. A Dutch prospective cohort study. *Journal of Psychiatric Research*, 102, 132-135. doi:10.1016/j.jpsychires.2018.04.001.
- Eck van der Sluijs, J. van, Have, M. ten, Rijnders, C., Marwijk, H.W.J. van, Graaf, R. de & Feltz-Cornelis, C. van der. (2018). Predictors of persistent Medically Unexplained physical



Symptoms: findings from a general population study. *Frontiers in Psychiatry*, 9(613), doi:10.3389/fpsyg.2018.00613.

- Guloksuz S., Rutten B.P.F., Pries L.K., Have M. ten, Graaf R. de, Dorsselaer S. van, Klingenbergen B., Os J. van, Ioannidis J.P.A., The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions Work Package 6 (EU-GEI WP6) Group. (2018). **The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments.** *Schizophrenia Bulletin*, 44, 1175-1179. doi:10.1093/soul/sby118.
- Have M. ten, Graaf R. de, Dorsselaer S. van, Tuithof M., Kleinjan M., Penninx B.W.J.H. **Recurrence and chronicity of major depressive disorder and their risk indicators in a population cohort.** (2018). *Acta Psychiatrica Scandinavica*, 137, 503-515. doi:10.1111/acps.12874
- Heer E.W. de, Have M. ten, Marwijk H.W.J. van, Dekker J., Graaf R. de, Beekman A.T.F., Feltz-Cornelis C.M. van der. (2018). **Pain as a risk factor for common mental disorders. Results from the Netherlands Mental Health Survey and Incidence Study-2: a longitudinal, population based study.** *Pain*, 159:, 712-718. doi:10.1097/j.pain.0000000000001133.
- Juurink T.T., Have M. ten, Lamers F., Marle H.J.F. van, Anema J.R., Graaf R. de, Beekman A.T.F. (2018). **Borderline personality disorder symptoms and work performance: a population-based survey.** *BMC Psychiatry*, 18, 202. doi:10.1186/s12888-018-1777-9.
- Pries L.K., Guloksuz S., Have M. ten, Graaf R. de, Dorsselaer S. van, Gunther N., Rauschenberg C., Reininghaus U., Radhakrishnan R., Bak M., Rutten B.P.F., Os J. van. (2018). **Evidence that environmental and familial risks for psychosis additively impact a multidimensional subthreshold psychosis syndrome.** *Schizophrenia Bulletin*, 44, 710-719. doi:10.1093/schbul/sby051.
- Schopman S., Have M. ten, Dorsselaer S. van, Graaf R. de, Batelaan N. (2018). **Limited functioning after remission of an anxiety disorder as a trait effect versus a scar- effect: results of a longitudinal general population study.** *Journal of Clinical Psychiatry*, 79 (3). doi: 10.4088/JCP.16m11256.
- Tuithof M., Have M. ten, Dorsselaer S. van, Kleinjan M., Beekman A.T.F., Graaf R. de. (2018). **Course of subthreshold depression into a depressive disorder and its risk factors.** *Journal of Affective Disorders*, 241, 206-215. doi:10.1016/j.jad.2018.08.010.
- Vogel S.W.N., Have M. ten, Bijlenga D., Graaf R. de, Beekman A.T.F., Kooij J.J.S. (2018). **Distribution of ADHD symptoms, and associated comorbidity, exposure to risk factors and disability: Results from a general population study.** *Psychiatry Research*, 267, 256-265. doi:10.1016/j.psychres.2018.06.017.
- Wynchank D., Have M. ten, Bijlenga D., Penninx B.W., Beekman A.T.F., Lamers F., Graaf R. de, Kooij S. (2018). **The association between insomnia and sleep duration in adults with Attention-Deficit Hyperactivity Disorder: results from a general population study.** *Journal of Clinical Sleep Medicine*, 14:,349-357. doi:10.5664/jcsm.6976.

2017

- Boerema A.M., Have M. ten, Kleiboer A., Graaf R. de, Nuijen J., Cuijpers P., Beekman A.T.F. (2017). **Demographic and need factors of early, delayed and no mental health care**



use in major depression: a prospective study. *BMC Psychiatry*, 17, 367 (1-10). doi:10.1186/s12888-017-1531-8.

- Ditzhuijzen J. van, Have M. ten, Graaf R. de, Lugtig P., Nijnatten C.H.C.J. van, Vollebergh W.A.M. (2017). **Incidence and recurrence of common mental disorders after abortion: Results from a prospective cohort study.** *Journal of Psychiatric Research*, 84, 200-206. doi:10.1016/j.jpsychires.2016.10.006.
- Ditzhuijzen J. van, Have M. ten, Graaf R. de, Nijnatten C.H.C.J. van, Vollebergh W.A.M. (2017). **Correlates of common mental disorders among Dutch women who have had an abortion: a longitudinal cohort study.** *Perspectives on Sexual and Reproductive Health*, 49, 123-131. doi:10.1363/psrh.12028.
- Have M. ten, Penninx B.W.J.H., Tuithof M., Dorsselaer S. van, Kleinjan M., Spijker J., Graaf R. de (2017). **Duration of major and minor depressive episodes and associated risk indicators in a psychiatric epidemiological cohort study of the general population.** *Acta Psychiatrica Scandinavica*, 1-13. DOI: 10.1111/acps.12753.
- Heer E.W. de, Have M. ten, Marwijk H.W.J. van, Dekker J., Graaf R. de, Feltz-Cornelis C.M. van der (2017). **Risk of suicidal behaviour in subjects with pain. A population based longitudinal cohort study.** *Journal of Psychosomatic Research* 2017; 97: 143. doi:10.1016/j.jpsychores.2017.03.224.
- Honings S., Drukker M., ten Have M., de Graaf R., van Dorsselaer S., van Os J. (2017). **The interplay of psychosis and victimisation across the life course: a prospective study in the general population.** *Social Psychiatry and Psychiatric Epidemiology*, 52, 1363-1374. doi:10.1007/s00127-017-1430-9.
- Madsen, I. E. H., Nyberg, S. T., Magnusson Hanson, L. L., Ferrie, J. E., Ahola, K., Alfredsson, L., Batty, G. D., Björner, J. B., Borritz, M., Burr, H., Chastang, J. F., de Graaf, R., Dragano, N., Hamer, M., Jokela, M., Knutsson, A., Koskenvuo, M., Koskinen, A., Leineweber, C., Niedhammer, I., ... IPD-Work Consortium (2017). **Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data.** *Psychological medicine*, 47(8), 1342-1356. doi:10.1017/S003329171600355X.
- Schotanus-Dijkstra M., Have M. ten, Lamers S.M.A., Graaf R. de, Bohlmeijer E.T. (2017). **The longitudinal relationship between flourishing mental health and incident mood, anxiety and substance use disorders.** *The European Journal of Public Health*, 27, 563-568. doi:10.1093/eurpub/ckw202.
- Tuithof M., Have M. ten, Beekman A.T.F., Dorsselaer S. van, Kleinjan M., Schaufeli W., Graaf R. de (2017). **The interplay between emotional exhaustion, common mental disorders, functioning and health care use in the working population.** *Journal of Psychosomatic Research*, 100, 8-14. doi:10.1016/j.jpsychores.2017.06.018.

2016

- Biesheuvel-Liefeld KEM, Kok GD, Bockting CLH, Graaf R de, Have M ten, Horst HE van der, Schaik A van, Marwijk HWJ van, Smit F. **Non-fatal disease burden of subgroups of depressive disorder: a population-based epidemiological study.** *BMC Psychiatry*. 2016. May 12;16:139. doi 10.1186/s12888-016-0843-4.
- Van Eck van der Sluijs J, Have M ten, Rijnders CA, Marwijk HWJ van, Graaf R de, Feltz-



Cornelis CM van der. Mental health care use in medically unexplained and explained physical symptoms: findings from a general population study. *Neuropsychiatric Disease and Treatment* 2016; 12: 2063-2072.

- Guloksuz S, Nierop M van, Bak M, Graaf R de, Have M ten, Dorsselaer S van, Gunther N, Lieb R, Winkel R van, Wittchen H-U, Os J van. Replication in two general population cohort studies that exposure to environmental factors increases connectivity between symptom domains. *BMC Psychiatry* 2016. Jul 8: 16, 223. doi 10.1186/s12888-016-0935-1.
- Have M ten, Verheul R, Kaasenbrood A, Dorsselaer S van, Tuithof M, Kleinjan M, Graaf R de. Borderline Personality Disorder symptoms in the Netherlands Mental Health Survey and Incidence Study-2 (NEMESIS-2): prevalence, comorbidity, disability and service use. *BMC Psychiatry* 2016. Jul 19: 16: 249. doi 10.1186/s12888-016-0939-x.
- Have M ten, Lamers F, Wardenaar K, Beekman A, Jonge P de, Dorsselaer S van, Tuithof M, Kleinjan M, Graaf R de. The identification of symptom-based subtypes of depression: a nationally representative cohort study. *Journal of Affective Disorders* 2016; 190: 395-406.
- Have M ten, Penninx BWJH, Dorsselaer S van, Tuithof M, Kleinjan M, Graaf R de. Insomnia among current and remitted common mental disorders and the association with role functioning: results from a general population study. *Sleep Medicine* 2016; 25: 34-41.
- Honings S, Drukker M, Have M ten, Graaf R de, Dorsselaer S van, Os J van. Psychotic experiences and risk of violence perpetration and arrest in the general population: a prospective study. *PLOS ONE*. 2016. Jul 22: 11: e0159023. doi 10.1371/journal.pone.0159023.
- Honings S, Drukker M, Nierop M van, Winkel R van, Wittchen H-U, Lieb R, Have M ten, Graaf R de, Dorsselaer S van, Os J van. Psychotic experiences and incident suicidal ideation and behaviour: disentangling the longitudinal associations from connected psychopathology. *Psychiatric Research* 2016 ; 245 : 267-275.
- Nierop M van, Bak M, Graaf R de, Have M ten, Dorsselaer S van, Genetic Risk and Outcome of Psychosis (GROUP) Investigators, Winkel R van. The functional and clinical relevance of childhood trauma-related admixture of affective, anxious and psychosis symptoms. *Acta Psychiatrica Scandinavica* 2016; 133: 91-101.
- Schat A, Noorden MS van, Noom MJ, Giltay EJ, Wee NJA van der, Graaf R de, Have M ten, Vermeiren RRJM, Zitman FG. A cluster analysis of early onset in common anxiety disorders. *Journal of Anxiety Disorders* 2016; 44: 1-8.
- Schotanus-Dijkstra M, Pieterse ME, Drossaert CHC, Westerhof GJ, Graaf R de, Have M ten, Walburg JA, Bohlmeijer ET. What factors are associated with flourishing? Results from a large representative national sample. *Journal of Happiness Studies* 2016; 17: 1351-1370.
- Tuithof M, Have M ten, Brink W van den, Vollebergh W, Graaf R de. Treatment seeking for alcohol use disorders: Treatment gap or adequate self-selection? *European Addiction Research* 2016; 22: 277-285.
- Vries S de, Have M ten, Dorsselaer S van, Wezep M van, Hermans T, Graaf R de. Local availability of green and blue space and prevalence of common mental disorders in the Netherlands. *British Journal of Psychiatry Open* 2016; 2: 366-372.

2015

- Barbaglia G, Have M ten, Dorsselaer S van, Alonso J, Graaf R de. Negative socio-



economic changes and mental disorders: a longitudinal study. *Journal of Epidemiology and Community Health* 2015; 69:55-62.

- Barbaglia G, Have M ten, Dorsselaer S van, Alonso J, Vilagut G, Graaf R de. Low functional status as a predictor of incidence of emotional disorders in the general population. *Quality of Life Research* 2015; 24: 651-659.
- Benschop A, Liebregts N, Pol P van der, Schaap R, Buisman R, Laar M van, Brink W van den, Graaf R de, Korf DJ. Reliability and validity of the Marijuana Motives Measure among young adult frequent cannabis users and associations with cannabis dependence. *Addictive Behaviors* 2015; 40: 91-95.
- Ditzhuijzen J van, Have M ten, Graaf R de, Nijnatten CHCJ van, Vollebergh WAM. The impact of psychiatric history on women's pre- and postabortion experiences. *Contraception* 2015; 92: 246-253.
- Van Eck van der Sluijs J, Have M ten, Rijnders C, Marwijk HWJ van, Graaf R de, Feltz-Cornelis C van der. Medically unexplained and explained physical symptoms in the general population: association with prevalent and incident mental disorders. *Plos One* 2015; 10(4); doi: 10.1371.
- Have M ten, Dorsselaer S van, Graaf R de. Associations of work and health related characteristics with intention to continue working after the age of 65 years. *European Journal of Public Health* 2015; 25: 122-124.
- Have M ten, Dorsselaer S van, Graaf R de. The association between type and number of adverse working conditions and mental health during a time of economic crisis (2010-2012). *Social Psychiatry and Psychiatric Epidemiology* 2015; 50: 899-907.
- Liebregts N, Pol P van der, Laar M van, Graaf R de, Brink W van den, Korf DJ. The role of leisure and delinquency in frequent cannabis use and dependence trajectories among young adults. *International Journal of Drug Policy* 2015; 26: 143-152.
- Liebregts N, Pol P van der, Graaf R de, Laar M van, Brink W van den, Korf DJ. Persistence and desistance in heavy cannabis use: the role of identity, agency and life events. *Journal of Youth Studies* 2015; 18: 617-633.
- Nierop M van, Viechtbauer W, Gunther N, Zelst C van, Graaf R de, Have M ten, Dorsselaer S van, Bak M, GROUP investigators, Winkel R van. Childhood trauma is associated with a specific admixture of affective, anxiety, and psychosis symptoms cutting across traditional diagnostic boundaries. *Psychological Medicine* 2015; 45: 1277-88.
- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. Three-year course of cannabis dependence and prediction of persistence. *European Addiction Research* 2015; 21: 279-290.
- Tuithof M, Have M ten, Dorsselaer S van, Graaf R de. Emotional disorders among informal caregivers in the general population: target groups for prevention. *BMC Psychiatry*. 2015; 15: 23.
- Vermeulen-Smit E, Have M ten, Laar M van, Graaf R de. Clustering of health risk behaviours and the relationship with mental disorders. *Journal of Affective Disorders* 2015; 171: 111-119.

2014



- Batelaan NM, Have M ten, Balkom AJ van, Tuithof M, Graaf R de. **Anxiety disorders and onset of cardiovascular disease: the differential impact of panic, phobias and worry.** Journal of Anxiety Disorders. 2014; 28: 252-258.
- Gevonden MJ, Selten J-P, Myin-Germeys I, Graaf R de, Have M ten, Dorsselaer S van, Os J van, Veling W. **Sexual minority status and psychotic symptoms: findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS).** Psychological Medicine . 2014; 44: 421-433.
- Have M ten, Graaf R de, Weeghel J van, Dorsselaer S van. **The association between common mental disorders and violence: to what extent is it influenced by prior victimization, negative life events and low levels of social support?** Psychological Medicine 2014; 44: 1485-1498.
- Nierop M van, Os J van, Gunther N, Zelst C van, Graaf R de, Have M ten, Dorsselaer S van, Bak M, Myin-Germeys I, Winkel R van. **Does social defeat mediate the association between childhood trauma and psychosis? Evidence from the NEMESIS-2 Study.** Acta Psychiatrica Scandinavica 2014; 129:467-76.
- Nierop M van, Lataster T, Smeets F, Gunther N, Zelst C van, Graaf R de, Have M ten, Dorsselaer S van, Bak M, Myin-Germeys I, Viechtbauer W, Os J van, Winkel R van. **Psychopathological mechanisms linking childhood traumatic experiences to risk of psychotic symptoms: analysis of a large, representative population-based sample.** Schizophrenia Bulletin 2014; 40 Suppl 2; S123-S130.
- Pol P van der, Liebregts N, Brunt T, Amsterdam J van, Graaf R de, Korf DJ, Brink W van den, Laar M van. **Cross-sectional and prospective relation of cannabis potency, dosing and smoking behaviour with cannabis dependence: an ecological study.** Addiction. 2014; 109: 1101-1109.
- Rhebergen D, Steenstraten IM van der, Sunderland M, Graaf R de, Have M ten, Lamers F, Penninx BW, Andrews G. **An examination of generalized anxiety disorder and dysthymic disorder by latent class analysis.** Psychological Medicine. 2014; 44: 1701-1712.
- Sandfort TGM, Graaf R de, Have M ten, Ransome Y, Schnabel P. **Same-sex sexuality and psychiatric disorders in the second Netherlands Mental Health Survey and Incidence Study (NEMESIS-2).** LGBT Health 2014; 1: 292-301.
- Tuithof M, Have M ten, Brink W van den, Vollebergh W, Graaf R de. **The relationship between excessive alcohol consumption and alcohol use disorders according to DSM-IV and DSM-5.** Alcoholism: Clinical and Experimental Research. 2014; 38: 249-256.
- Tuithof M, Have M ten, Brink W van den, Vollebergh W, Graaf R de. **Alcohol consumption and symptoms as predictors for relapse of DSM-5 alcohol use disorder.** Drug and Alcohol Dependence. 2014; 140: 85-91.
- Vanwesenbeeck I, Have M ten, Graaf R de. **Associations between common mental disorders and sexual dissatisfaction in the general population.** British Journal of Psychiatry. 2014; 205: 151-157.

2013

- Ditzhuijzen J van, Have M ten, Graaf R de, Nijnatten CHCJ van, Vollebergh WAM. **Psychiatric history of women who have had an abortion.** Journal of Psychiatric Research 2013; 47: 1737-1743.



- Graaf R de, Have M ten, Tuithof M, Dorsselaer S van. First-incidence of DSM-IV mood, anxiety and substance use disorders and its determinants: results from the Netherlands Mental Health Survey and Incidence Study-2. *Journal of Affective Disorders* 2013; 149: 100-107.
- Graaf R de, Dorsselaer S van, Tuithof M, Have M ten. Sociodemographic and psychiatric predictors of attrition in a prospective psychiatric epidemiological study among the general population. *Results of the Netherlands Mental Health Survey and Incidence Study-2*. *Comprehensive Psychiatry* 2013; 54: 1131-1139.
- Have M ten, Dorsselaer S van, Graaf R de. Prevalence and risk factors for first onset of suicidal behaviors in the Netherlands Mental Health Survey and Incidence Study-2. *Journal of Affective Disorders*. 2013; 147: 205-211.
- Have M ten, Nuijen J, Beekman A, Graaf R de. Common mental disorder severity and its association with treatment contact and treatment intensity for mental health problems. *Psychological Medicine* 2013; 43: 2203-2215.
- Have M ten, Graaf R de, Dorsselaer S van, Beekman A. Lifetime treatment contact and delay in treatment seeking after first onset of a mental disorder. *Psychiatric Services* 2013; 64: 981-989.
- Liebregts N, Pol P van der, Laar M van, Graaf R de, Brink W van den, Korf DJ. The role of study and work in cannabis use and dependence trajectories among young adult frequent cannabis users. *Frontiers in Psychiatry*. 2013; 4 (article 85): 1-11.
- Liebregts N, Pol P van der, Laar M van, Graaf R de, Brink W van den, Korf DJ. The role of parents, peers and partners in cannabis use and dependence trajectories among young adult frequent users. *Contemporary Drug Problems*. 2013; 40: 531-568.
- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. Reliability and validity of the Severity of Dependence Scale for detecting cannabis dependence in frequent cannabis users. *International Journal of Methods in Psychiatric Research* 2013; 22: 138-143.
- Pol P van der, Liebregts N, Graaf R de, Have M ten, Korf DJ, Brink W van den, Laar M van. Mental health differences between frequent cannabis users with and without cannabis dependence and the general population. *Addiction*. 2013; 108: 1459-69.
- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. Validation of self-reported cannabis dose and potency: an ecological study. *Addiction*. 2013; 108: 1801-1808.
- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. Predicting the transition from frequent cannabis use to dependence: a prospective study. *Drug and Alcohol Dependence*. 2013; 133: 352-359.
- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. Facilitators and barriers in treatment seeking for cannabis dependence. *Drug and Alcohol Dependence*. 2013; 133: 776-780.
- Tuithof M, Have M ten, Brink W van den, Vollebergh W, Graaf R de. Predicting persistency of DSM-5 alcohol use disorder and examining drinking patterns of recently remitted individuals: a prospective general population study. *Addiction*. 2013; 108: 2091-2099.

2012



- Graaf R de, Have M ten, Gool C van, Dorsselaer S van. Prevalence of mental disorders, and trends from 1996 to 2009. Results from the Netherlands Mental Health Survey and Incidence Study-2. *Social Psychiatry and Psychiatric Epidemiology* 2012; 47: 203-213.
- Graaf R de, Tuithof M, Dorsselaer S van, Have M ten. Comparing the effects on work performance of mental and physical disorders. *Social Psychiatry and Psychiatric Epidemiology*. 2012; 47: 1873-1883.
- Nierop M van, Os J van, Gunther N, Myin-Germeys I, Graaf R de, Have M ten, Dorsselaer S van, Bak M, Winkel R van. Phenotypically continuous with clinical psychosis, discontinuous in need for care: evidence for an extended psychosis phenotype. *Schizophrenia Bulletin* 2012; 38: 231-238.
- Tuithof M, Have M ten, Brink W van den, Vollebergh W, Graaf R de. The role of conduct disorder in the association between ADHD and alcohol use (disorder). Results from the Netherlands Mental Health Survey and Incidence Study-2. *Drug and Alcohol Dependence* 2012; 123: 115-121.

2011

- Liebregts N, Benschop A, Pol P van der, Laar M van, Graaf R de, Brink W van den, Korf DJ. Cannabis dependence and peer selection in social networks of frequent users. *Contemporary Drug Problems* 2011; 38: 93-119.
- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. The Dutch Cannabis Dependence study (CanDep) on the course of frequent cannabis use and dependence: objectives, methods and sample characteristics. *International Journal of Methods in Psychiatric Research* 2011; 20: 169-181.

2010

- Graaf R de, Have M ten, Dorsselaer S van. The Netherlands Mental Health Survey and Incidence Study-2 (NEMESIS-2): Design and methods. *International Journal of Methods in Psychiatric Research* 2010; 193: 125-141.

Nederlandstalige artikelen

2022

- Riet, J. van der, Have, M. ten, Graaf, R. de & Batelaan, N.M. (2023). De relatie tussen slaapproblemen en het ontstaan en beloop van angst- en stemmingsstoornissen. *Tijdschrift voor Psychiatrie*, 65(7), 411-417.

2021

- Ditzhuijzen, J. van (2021). Het risico op psychiatrische aandoeningen na abortus. Reactie op Biemans. *Tijdschrift voor Psychiatrie*, 63: 89-90.
- Van, Os, J. J. (2021). Reactie op Genen en omgeving beide belangrijk bij psychisch lijden. *Tijdschrift voor Psychiatrie*, 63, 84-86.



2019

- Eck van der Sluijs, J. van (2019). Somatisch onvoldoende verklaarde lichamelijke klachten in de algemene bevolking: wat voorspelt een chronisch beloop? *Tijdschrift voor Psychiatrie*, 61, 581.
- Have, M. ten, Graaf, R. de, Dorsselaer, S. van, Tuithof, M., Kleinjan, M., & Penninx B. W. J. H. (2019). Terugval en chroniciteit van depressieve stoornis in de algemene bevolking; resultaten van NEMESIS-2. *Tijdschrift voor Psychiatrie*, 61, 22-31.

2018

- Boerema, A. M., Have, M. L. ten, Kleiboer, A. M., Graaf, R. de, Nuyen, J., Cuijpers, W. J. M. J., & Beekman, A. T. F. (2018). *Zorggebruik vooral bepaald door ernst van depressie: verschillen tussen vroege, afwachtende en niet-zorggebruikers*. *Nederlands Tijdschrift voor Geneeskunde*, 162, D2743.
- Ditzhuijzen, J. van, Have, M. ten, Graaf, R. de, Nijnatten, C.H.C.J. van & Vollebergh W.A.M. (2018). *Abortus en het risico op psychische aandoeningen*. *Tijdschrift voor Psychiatrie*, 60(8), 527-535.
- Have, M. ten, Penninx, B.W.J.H., Tuithof, M., Dorsselaer, S. van, Kleinjan, M., Spijker, J. & Graaf, R. de (2018). *Nieuwe cijfers over de duur van depressieve episoden in de algemene bevolking; resultaten van NEMESIS-2*. *Tijdschrift voor Psychiatrie*, 60, 364-373.

2017

- Ditzhuijzen J van, Have M ten, Graaf R de, Nijnatten CHCJ van, Vollebergh WAM. *De psychische gezondheid van vrouwen die een abortus meemaken: Resultaten van een prospectief longitudinaal cohort onderzoek*. *Tijdschrift voor Seksuologie* 2017; 41: 7-14.
- Ditzhuijzen, J. van (2017). Psychische stoornissen na abortus: geen wetenschappelijke ondersteuning. Reactie op Biemans. *Tijdschrift voor Gezondheidszorg en Ethisch*, 27(2), 64-65.

2016

- Tuithof M, Have M ten, Dorsselaer S van, Bransen E, Graaf R de. *Risico-indicatoren van emotionele stoornissen bij mantelzorgers. Resultaten van NEMESIS-2*. *Tijdschrift voor Gezondheidswetenschappen* 2016; 94: 73-80.
- Speetjens P, Thielen F, Have M ten, Graaf R de, Smit F. *Kindermishandeling: economische gevolgen op lange termijn*. *Tijdschrift voor Psychiatrie* 2016, 58, 706-711.
- Weeghel, J. van & Have, M. ten (2016). Reactie op Cantoor et al. *Tijdschrift voor Psychiatrie*, 58, 424-425.

2015

- Have, M. ten, Weeghel, J. van, Dorsselaer, S. van, Tuithof, M. & Graaf, R. de (2015). *Houding van de algemene bevolking ten opzichte van (ex-)psychiatrische patiënten; resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS-2)*.



Tijdschrift voor Psychiatrie, 57(11), 785-794.

- Pol P van der, Liebregts N, Graaf R de, Korf DJ, Brink W van den, Laar M van. *Wel of geen hulp zoeken voor cannabisafhankelijkheid*. Tijdschrift voor Verslaving. 2015; 11: 103-115.

2014

- Nierop M van. *Psychopathologische mechanismen van jeugdtrauma (Rubriek: Nederlands-Vlaams top onderzoek)*. Tijdschrift voor Psychiatrie 2014; 56: 477.
- Tuithof, Have M ten, Dorsselaer S van, Graaf R de. *Prevalentie, persistentie en gevolgen van ADHD in de Nederlandse volwassen bevolking*. Tijdschrift voor Psychiatrie 2014; 56: 10-19.
- Vanwesenbeeck I. *De associatie tussen psychiatrische aandoeningen en seksuele tevredenheid (Rubriek: Nederlands-Vlaams top onderzoek)*. Tijdschrift voor Psychiatrie 2014; 56: 546-547.
- Vanwesenbeeck I. [Nieuws] *Psychische aandoeningen en seksuele tevredenheid*. Tijdschrift voor Seksuologie 2014; 38: 126.

2013

- Graaf R de, Tuithof M, Dorsselaer S van, Have M ten. *Verzuim door psychische en somatische aandoeningen bij werkenden*. Tijdschrift voor Arbeidsvraagstukken 2013; 29; 322-337.

2012

- Graaf R de, Have M ten, Dorsselaer S van. *Opzet van de bevolkingsstudie NEMESIS-2: Netherlands Mental Health Survey and Incidence Study-2*. Tijdschrift voor Psychiatrie 2012; 54: 17-26.
- Graaf R de, Have M ten, Gool C van, Dorsselaer S van. *Prevalentie van psychische aandoeningen, en trends van 1996 tot 2009. Resultaten van NEMESIS-2*. Tijdschrift voor Psychiatrie 2012; 54: 27-38.

Nederlandstalige rapporten

2018

- Graaf, R. de, Dorsselaer, S. van, Tuithof, M. & Have, M. ten (2018). *Sociodemographic and psychiatric predictors of attrition in the third follow-up of the Netherlands Mental Health Survey and Incidence Study-2 (NEMESIS-2)*. Utrecht, Trimbos-instituut.
- Have, M. ten, Dorsselaer, S. van, Tuithof, M. & Graaf, R. de (2018). *Veldwerk en methode van de vierde meting van de studie NEMESIS-2*. Utrecht, Trimbos-instituut.

2017

- Graaf, R. de & Have, M. ten (2017). *Depressie: epidemiologie*. In: *Zicht op depressie: de aandoening, preventie en zorg*. Themarapportage van de Staat van Volksgezondheid en



Zorg. Nuijen J. Utrecht, Trimbos-instituut, pp 45-71.

- Veerbeek M, Have M ten, Dorsselaer S, Willemse B. Omvang, ontwikkeling en kenmerken van alcoholgebruik en alcoholstoornis bij 55-70 jarigen. In: **Alcoholgebruik onder 55-plusers**. Veerbeek M, Heijkants C, Willemse B (eds.). Utrecht, Trimbos-instituut, 2017, pp. 15-28

2016

- Ditzhuijzen J van, Nijnatten C van, Have M ten, Graaf R de, Vollebergh W. Abortus en psychische gezondheid. Een longitudinale cohortstudie naar de psychische gezondheid van vrouwen die een abortus meemaken. Utrecht, Universiteit Utrecht, 2016.
- Nuijen J, Dorsselaer S van, Dekker N, Ehrlich E, Graaf R de, Have M ten. **De ervaren belasting van naasten van personen met verslavingsproblemen: een verkennend onderzoek**. Utrecht, Trimbos-instituut, 2016.

2015

- Graaf R de, Dorsselaer S van, Tuithof M, Have M ten. Sociodemographic and psychiatric predictors of attrition in the third wave of the Netherlands Mental Health Survey and Incidence Study-2 (NEMESIS-2). Utrecht, Trimbos-instituut, 2015.
- Have M ten, Dorsselaer S van, Tuithof M, Graaf R de. Veldwerk en methode van de derde meting van de studie NEMESIS-2. Utrecht, Trimbos-instituut, 2015.

2014

- Nuijen J, Have M ten, Tuithof M, Dorsselaer S van, Bon-Martens M van, Graaf R de. **Geen gebruik van professionele zorg bij stemming- en angststoornissen: zorgelijk of niet? Resultaten van de 'Netherlands Mental Health Survey and Incidence Study-2' (NEMESIS-2)**. Trendrapportage GGZ, Themarapport. Utrecht, Trimbos-instituut, 2014.

2013

- Graaf R de, Have M ten, Dorsselaer S van. De psychische gezondheid van de Nederlandse bevolking. NEMESIS-2. In: Handboek Sociale psychiatrie. Feltz-Cornelis C van der, Mulder N (eds). Utrecht: De Tijdstroom, 2013, pp 27-39.

2012

- Graaf R de, Have M ten, Tuithof M, Dorsselaer S van. **Incidentie van psychische aandoeningen. Opzet en eerste resultaten van de tweede meting van de studie NEMESIS-2**. Utrecht, Trimbos-instituut, 2012.
- Graaf R de, Have M ten, Tuithof M, Dorsselaer S van. **Incidentie van psychische aandoeningen. Opzet en eerste resultaten van de tweede meting van de studie NEMESIS-2**. Utrecht, Trimbos-instituut, 2012.
- Have M ten, Nuijen J. Graaf R de. **Ernst van de psychische aandoening als voorspeller van de aard en intensiteit van zorggebruik. Resultaten van de 'Netherlands Mental Health**



Survey and Incidence Study-2' (NEMESIS-2). In: Trendrapportage GGZ 2012. Deel 2B Toegang en zorggebruik. Utrecht, Trimbos-instituut, 2012.

- Verhagen P, Braam A, Chafekar-Stynenbosch P, Spijker J, Graaf R de. Geloven gezond? In: Handboek Psychiatrie, religie en spiritualiteit. Verhagen P, Megen HJGM van (Eds). Utrecht: De Tijdstroom, 2012, pp 381-398.

2011

- Graaf R de, Tuithof M, Dorsselaer S van, Have M ten. *Verzuim door psychische en somatische aandoeningen bij werkenden. Resultaten van NEMESIS-2.* Utrecht, Trimbos-instituut, 2011.
- Have M ten, Dorsselaer S van., Tuithof, M., Graaf R de. *Nieuwe gegevens over suïcidaliteit in de bevolking. Resultaten van NEMESIS-2.* Utrecht, Trimbos-instituut, 2011.

2010

- Graaf R de, Have M ten, Dorsselaer S van. *De psychische gezondheid van de Nederlandse bevolking. NEMESIS-2: Opzet en eerste resultaten.* Utrecht: Trimbos-instituut, 2010.
- Tuithof M, Have M ten, Dorsselaer S van, Graaf R de. *ADHD, gedragsstoornissen en antisociale persoonlijkheidsstoornis. Vóórkomen en gevolgen in de algemene bevolking: resultaten van NEMESIS-2.* Utrecht, Trimbos-instituut, 2010.

Publicaties NEMESIS-1

Internationale artikelen

1998

- Bijl RV, Zessen G van, Ravelli A, Rijk C de. Langendoen Y. The Netherlands Mental Health Survey and Incidence Study (NEMESIS): Objectives and design. *Social Psychiatry and Psychiatric Epidemiology* 1998; 33: 581-586.
- Bijl R.V, Zessen G van, Ravelli A. Prevalence of psychiatric disorder in the general population: results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS).*Social Psychiatry and Psychiatric Epidemiology* 1998; 33: 587-595.
- Merikangas KR, Mehta RL, Molnar BE, Walters EE, Swendsen JD, Aguilar-Gaxiola S, Bijl R, Borghes G, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Vega WA, Wittchen H-U, Kessler RC. Comorbidity of substance use disorders with mood and anxiety disorders: Results of the International Consortium in Psychiatric Epidemiology. *Addictive Behaviors* 1998; 23: 893-907.



1999

- Cuijpers P, Langendoen Y, Bijl RV. Psychiatric disorders in adult children of problem drinkers: prevalence, first onset, and comparison with other risk factors. *Addiction* 1999; 94: 1489-1498.
- Os J van, Verdoux H, Bijl RV, Ravelli A. *Psychosis as an extreme of continuous variation in dimensions of psychopathology*. In: Gattaz WF, Häfner H (eds) Search for the causes of Schizophrenia Conference, Springer, Darmstadt, 1999, p. 59-79.

2000

- Aguilar-Gaxiola S., Alegria M, Andrade L, Bijl R, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Kessler RC, Üstün TB, Vega WA, Wittchen H-U. *The International Consortium in Psychiatric Epidemiology*. In: Dragomirecká E, Palčová A, Papežová H (eds.). Sociální psychiatrie v čase změn / Social Psychiatry in Changing Times. Prague, Psychiatrické centrum, 2000, p. 86-103.
- Alegria M, Bijl R, Lin E, Walters E, Kessler R. Income differences in persons seeking outpatient treatment for mental disorders: a comparison of the US with Ontario and the Netherlands. *Archives of General Psychiatry* 2000; 57: 383-391.
- Alegria M, Kessler RC, Bijl RV, Lin E, Heeringa S, Takeuchi DT, Kolody B. Comparing data on mental health service use between countries. In: Andrews G & Henderson S (eds.). *Unmet need in psychiatry*. Cambridge, Cambridge University Press, 2000, p. 97-118.
- Bijl RV, Ravelli A. Current and residual functional disability associated with psychopathology. *Psychological Medicine* 2000; 30: 657-668.
- Bijl RV, Ravelli A. Psychiatric morbidity, service use, and need for care in the general population: results of the Netherlands Mental Health Survey and Incidence study. *American Journal of Public Health* 2000; 90: 602-607.
- Graaf R de, Bijl RV, Smit F, Ravelli A, Vollebergh WAM. Psychiatric and sociodemographic predictors of attrition in a longitudinal study. The Netherlands Mental Health Survey and Incidence Study (NEMESIS). *American Journal of Epidemiology* 2000; 152: 1039-1047.
- Kessler RC, Aguilar-Gaxiola S., Alegria M, Andrade L, Bijl R, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Üstün TB, Vega WA, Wittchen H-U. The International Consortium in Psychiatric Epidemiology. *Psychiatrie* 2000; 1: 15-20.
- Laitinen-Krispijn S, Bijl RV. Mental disorders and employee sickness absence: the NEMESIS study. *Social Psychiatry and Psychiatric Epidemiology* 2000; 35: 71-77.
- Os J van, Hanssen M, Bijl RV, Ravelli A. Strauss (1969) revisited: a psychosis continuum in the general population? *Schizophrenia Research* 2000; 45: 11-20.
- Ravelli A, Brink W van den, Bijl RV. Consequences of the use of different classification systems: a comparison of the DSM-III-R and ICD-10 for depression. *International Journal of Methods in Psychiatric Research* 2000; 4: 192-203.
- Sprangers MAG, Regt EB de, Andries F, Agt HME van, Bijl RV, Boer JB de, Foets M, Hoeymans N, Jacobs AE, Kempen GIJM, Miedema HS, Tijhuis MAR, Haes HCJM de. Which chronic condition are associated with better or poorer quality of life? *Journal of Clinical Epidemiology* 2000; 53: 895-907.
- WHO International Consortium in Psychiatric Epidemiology (Andrade L, Caraveo-Anduaga



J, Bijl RV, Kessler RC, Demler O, Walters E, Kýlýc C, Offord D, Üstün TB, Wittchen H-U). Cross-national comparisons of the prevalences and correlates of mental disorders. *The International Journal of Public Health* 2000; 78: 413-426.

2001

- Have M ten, Vollebergh WAM, Bijl RV, Graaf R de. Predictors of incident care service utilisation for mental health problems in the Dutch general population. *Social Psychiatry and Psychiatric Epidemiology* 2001; 36: 141-149.
- Kessler RC, Aguilar-Gaxiola S, Andrade L, Bijl R, Borges G, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Merikangas KR, Molnar BE, Vega WA, Walters EE, Wittchen H-U, Üstün TB. Mental-substance comorbidities in the ICPE surveys. *Psychiatrica Fennica* 2001; 32 (suppl 2): 62-79.
- Neeleman J, Ormel J, Bijl RV. The distribution of psychiatric and somatic ill-health: associations with personality and socio-economic status. *Psychosomatic Medicine* 2001; 63: 239-247.
- Os J van, Hanssen M, Bijl RV, Vollebergh WAM. Prevalence of Psychotic Disorder and Community Level of Psychotic Symptoms. An Urban-Rural Comparison. *Achriives of General Psychiatry* 2001; 58: 663-668.
- Sandfort TGM, Graaf R de, Bijl RV, Schnabel P. Same-sex sexual behavior and psychiatric disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Archives of General Psychiatry* 2001; 58: 85-91.
- Spijker J, Bijl RV, Graaf R de, Nolen WA. Determinants of poor 1-year course of DSM-III-R major depression in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS) *Acta Psychiatrica Scandinavica* 2001; 103: 122-130.
- Spijker J, Bijl RV, Graaf R de, Nolen WA. Care utilisation and outcome of DSM-III-R major depression in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS) *Acta Psychiatrica Scandinavica* 2001; 104: 19-24.
- Vollebergh WAM, Iedema J, Bijl RV, Graaf R de, Smit F, Ormel J. The structure and stability of common mental disorders: the Nemesis-study. *Archives of General Psychiatry* 2001; 58: 597-603.

2002

- Bijl RV, Cuijpers P, Smit F. Psychiatric disorders in adult children of parents with a history of psychopathology. *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 7-12.
- Bijl RV, Graaf R de, Ravelli A, Smit F, Vollebergh WAM. Gender and age-specific first incidence of DSM-III-R psychiatric disorders in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 372-379.
- Graaf R de, Bijl RV, Ravelli A, Smit F, Vollebergh WAM. Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. *Acta Psychiatrica Scandinavica* 2002; 106: 303-313.



- Graaf R de, Bijl RV, Smit F, Vollbergh WAM, Spijker J. Risk factors for 12-month comorbidity of mood, anxiety and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. *American Journal of Psychiatry* 2002; 159: 620-629.
- Have M ten, Vollebergh WAM, Bijl RV, Ormel J. Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. *Psychological Medicine* 2002; 32: 311-323.
- Have M ten, Vollebergh WAM, Bijl RV, Nolen WA. Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care utilisation): results from the Netherlands Mental Health Survey ad Incidence Study (NEMESIS). *Journal of Affective Disorders* 2002; 68: 203-213.
- Kessler RC, Andrade LH, Bijl RV, Offord DR, Demler OV, Stein DJ. The effects of co-morbidity on the onset and persistence of generalized anxiety disorder in the ICPE surveys. *Psychological Medicine* 2002; 32: 1213-1225.
- Krabbendam L, Janssen I, Bak M, Bijl RV, Graaf R de, Os J van. Neuroticism and low self-esteem as risk factors for psychosis. *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 1-6.
- Nolen WA, Have M ten, Vollebergh WAM. *Rate of detection and care utilisation by people with bipolar disorder. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS)*. In: Maj M, Akiskal HS, López-Ibor JJ, Sartorius N (eds.) *Bipolar disorder*. John Wiley & Sons, Chichester, 2002, p. 84-87.
- Os J van, Bak M, Hanssen M, Bijl RV, Graaf R de, Verdoux H. Cannabis use and psychosis: a longitudinal population-based study. *American Journal of Epidemiology* 2002; 156: 319-327.
- Os J van, Hanssen M, Graaf R de, WAM Vollebergh. Does the urban environment independently increase the risk for both negative and positive features of psychosis? *Social Psychiatry and Psychiatric Epidemiology* 2002; 37: 460-464.
- Schoemaker C, Smit F, Bijl RV, Vollebergh WAM. Bulimia nervosa following psychological and multiple child abuse: Support for the self-medication hypothesis in a population-based cohort study. *International Journal of Eating Disorders* 2002; 32: 381-388.
- Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Duration of major depressive episodes in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *British Journal of Psychiatry* 2002; 181: 208-213.
- Vega WA, Aguilar-Gaxiola S, Andrade L, Bijl R, Borges G, Caraveo-Anduaga JJ, DeWit DJ, Heeringa SG, Kessler RC, Kolody B, Merikangas KR, Molnar BE, Walters EE, Warner LA, Wittchen H-U. Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. *Drug and Alcohol Dependence* 2002; 68: 285-297.
- Regeer EJ, Rosso ML, Have M ten, Vollebergh W, Nolen WA. Prevalence of bipolar disorder: A further study in The Netherlands. *Bipolar Disorders* 2002; 4: 37-38.

2003

- Andrade L, Caraveo-Anduaga JJ, Berglund P, Bijl RV, Graaf R de, Vollebergh W, Dragomirecka E, , Kohn R, Keller M, Kessler RC, Kawakami N, Kilic C, Offord D, Ustun TB,



Wittchen H-U. The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. *International Journal of Methods in Psychiatric Research* 2003; 12: 3-21.

- Bak M, Myin-Germeys I, Hanssen M, Bijl R, Vollebergh W, Delespaul P, Os J van. When does experience of psychosis result in a need for care? A prospective general population study. *Schizophrenia Bulletin* 2003; 29: 349-358.
- Bak M, Delespaul P, Hanssen M, Graaf R de, Vollebergh W, Os J van. How false are "false" positive psychotic symptoms? *Schizophrenia Research* 2003; 62: 187-189.
- Bijl RV, Graaf R de, Hiripi E, Kessler RC, Kohn R, Offord DR, Ustun TB, Vicente B, Vollebergh WAM, Walters EE, Wittchen H-U. The prevalence of treated and untreated mental disorders in five countries. *Health Affairs* 2003; 22: 122-133.
- Graaf R de, Bijl RV, Spijker J, Beekman ATF, Vollebergh WAM. Temporal sequencing of lifetime mood disorders in relation to comorbid anxiety and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. *Social Psychiatry and Psychiatric Epidemiology* 2003; 38: 1-11.
- Hanssen MSS, Bijl RV, Vollebergh W, Os J van. Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders? *Acta Psychiatrica Scandinavica* 2003; 107: 369-377.
- Have M ten, Oldehinkel A, Vollebergh W, Ormel J. Does educational background explain inequalities in care service use for mental health problems in the Dutch general population. *Acta Psychiatrica Scandinavica* 2003; 107: 178-187.
- Janssen I, Hanssen M, Bak M, Bijl RV, Graaf R de, Vollebergh W, McKenzie K, Os J van. Discrimination and delusional ideation. *British Journal of Psychiatry* 2003; 182: 71-76.
- Kessler RC, Aguilar-Gaxiola S, Andrade L, Bijl R, Borges LG, Caraveo-Anduaga JJ, DeWit DJ, Kolody B, Merikangas KR, Molnar BE, Vega WA, Walters EE, Wittchen H-U). *Cross-national comparisons of co-morbidities between substance use disorders and mental disorders: results from the International Consortium in Psychiatric Epidemiology*. In: Bukoski WJ, Sloboda Z (eds). *Handbook for Drug Abuse Prevention Theory, Science, and Practice*. Plenum Publishing Corporation, New York, 2003, pp. 447-471.
- Kruijshaar ME, Hoeymans N, Bijl RV, Spijker J, Essink-Bot ML. Levels of disability in major depression. Findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Affective Disorders* 2003; 77: 53-64.
- Maric N, Krabbendam L, Vollebergh W, Graaf R de, Os J van. Sex differences in symptoms of psychosis in a non-selected, general population sample. *Schizophrenia Research* 2003; 63: 89-95.
- Os J van, Hanssen M, Bak M, Bijl RV, Vollebergh WAM. Do urbanicity and familial liability coparticipate in causing psychosis? *American Journal of Psychiatry* 2003; 160: 477-482.
- Overbeek G, Vollebergh W, RCME Engels, Meeus W. Young adults' relationship transitions and the incidence of mental disorders. A three-wave longitudinal study. *Social Psychiatry and Psychiatric Epidemiology* 2003; 38: 669-676.
- Sandfort TGM, Graaf R de, Bijl RV. Same-sex sexuality and quality of life: findings from the Netherlands mental health Survey and Incidence Study. *Archives of Sexual Behavior* 2003; 32: 15-22.

2004



- Buist-Bouwman MA, Ormel J, Graaf R de, Vollebergh WAM. Functioning after a major depressive episode: complete or incomplete recovery? *Journal of Affective Disorders* 2004; 82: 363-371.
- Cuijpers P, Graaf R de, Dorsselaer S van. Minor depression: risk profiles, functional disability, health care use and risk of developing major depression. *Journal of Affective Disorders* 2004; 79: 71-79.
- Graaf R de, Bijl RV, Have M ten, Beekman ATF, Vollebergh WAM. Rapid onset of comorbidity of common mental disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Acta Psychiatrica Scandinavica* 2004; 109: 55-63.
- Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Vollebergh WAM. Negative and positive participant responses to the Composite International Diagnostic Interview. Results of the Netherlands Mental Health Survey and Incidence Study. *Social Psychiatry and Psychiatric Epidemiology* 2004; 39: 521-527.
- Graaf R de, Bijl RV, Have M ten, Beekman ATF, Vollebergh, WAM. Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study. *Journal of Affective Disorders* 2004; 82: 461-467.
- Hakkaart-van Roijen L, Hoeijenbos MB, Regeer EJ, Have M ten, Nolen WA, Veraart CPWM, Rutten FFH. The societal costs and quality of life of patients suffering from bipolar disorder in the Netherlands. *Acta Psychiatrica Scandinavica* 2004; 110: 383-392.
- Have M ten, Graaf R de, Vollebergh W, Beekman A. What depressive symptoms are associated with the use of care services? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Affective Disorders* 2004; 80: 239-248.
- Janssen I, Krabbendam L, Bak M, Hanssen M, Vollebergh W, Graaf R de, Os J van. Childhood abuse as a risk factor for psychotic experiences. *Acta Psychiatrica Scandinavica* 2004; 109: 38-45.
- Krabbendam L, Myin-Germeys I, Hanssen M, Bijl RV, Graaf R de, Vollebergh W, Bak M, Os J van. Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. *Acta Psychiatrica Scandinavica* 2004; 110: 264-272.
- Krabbendam L, Myin-Germeys I, Graaf R de, Vollebergh W, Nolen WA, Iedema J, Os J van. Dimensions of depression, mania, and psychosis in the general population. *Psychological Medicine* 2004; 34: 1177-1186.
- Maric N, Myin-Germeys I, Delespaul P, Graaf R de, Vollebergh W, Os J van. Is our concept of schizophrenia influenced by Berkson's bias? *Social Psychiatry and Psychiatric Epidemiology* 2004; 39: 600-605.
- Neleman J, Bijl R, Ormel J. Neuroticism, a central link between somatic and psychiatric morbidity: path analysis of prospective data. *Psychological Medicine* 2004; 34: 521-531.
- Neleman J, Graaf R de, Vollebergh W. The suicidal process; prospective comparison between early and later stages. *Journal of Affective Disorders* 2004; 82: 43-52
- Ormel J, Oldehinkel AJ, Nolen WA, Vollebergh W. Psychosocial disability before, during, and after a major depressive episode. A 3-wave population-based study of state, scar and trait effects. *Archives of General Psychiatry* 2004; 61: 387-392.
- Ormel J, Oldehinkel AJ, Vollebergh W. Vulnerability before, during, and after a major



depressive episode. A 3-wave population-based study. *American Journal of Psychiatry* 2004; 61: 990-996.

- Overbeek G, Vollebergh W, Meeus W, Graaf R de, RCME Engels. Young adults' recollections of parental bonds. Does satisfaction with partner relationships mediate the longitudinal association with mental disorders? *Social Psychiatry and Psychiatric Epidemiology* 2004; 39: 703-710.
- Regeer EJ, Have M ten, Rosso ML, Hakkaart-van Roijen L, Vollebergh W, Nolen WA. Prevalence of bipolar disorder in the general population: a reappraisal study of the Netherlands Mental Health Survey and Incidence Study. *Acta Psychiatrica Scandinavica* 2004; 110: 374-382.
- Smit F, Beekman A, Cuijpers P, Graaf R de, Vollebergh W. Selecting key-variables for depression prevention: Results from a population-based prospective epidemiological study. *Journal of Affective Disorders* 2004; 81: 241-249.
- Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Functional disability and depression in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Acta Psychiatrica Scandinavica* 2004; 110: 208-214.
- Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Determinants of persistence of major depressive episodes in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Affective Disorders* 2004; 81: 231-240.

2005

- Bak M, Myin-Germeys I, Delespaul P, Vollebergh W, Graaf R de, Os J van. Do different psychotic experiences differentially predict need for care in the general population? *Comprehensive Psychiatry* 2005; 46: 192-199.
- Bak M, Krabbendam L, Janssen I, Graaf R de, Vollebergh W, Os J van. Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. *Acta Psychiatrica Scandinavica* 2005; 112: 360-366.
- Bruijn C de, Brink W van den, Graaf R de, Vollebergh WAM. The craving withdrawal model for alcoholism; towards the DSM-V. Improving the discriminant validity of alcohol use disorder diagnosis. *Alcohol and Alcoholism* 2005; 40: 314-322.
- Bruijn C de, Brink W van den, Graaf R de, Vollebergh WAM. Alcohol abuse and dependence criteria as predictors of a chronic course of alcohol use disorders in the general population. *Alcohol & Alcoholism* 2005; 40: 441-446.
- Buist-Bouwman MA, Graaf R de, Vollebergh WAM, Ormel J. Comorbidity of physical and mental disorders and the effect on work-loss days. *Acta Psychiatrica Scandinavica* 2005; 111: 436-443.
- Graaf R de, Dorsselaer S van, Have M ten, Schoemaker C, Vollebergh WAM. Seasonal variations in mental disorders in the general population of a country with a maritime climate country. Findings from the Netherlands Mental Health Survey and Incidence Study. *American Journal of Epidemiology* 2005; 162: 654-661.
- Hanssen M, Krabbendam L, Graaf R de, Vollebergh W, Os J van. Role of distress in delusion formation. *British Journal of Psychiatry* 2005; 187 (suppl 48) s55-s58.



- Hanssen M, Bak M, Bijl R, Vollebergh W, Os J van. The incidence and outcome of subclinical psychotic experiences in the general population. *British Journal of Clinical Psychology* 2005; 44: 181-191.
- Have M ten, Oldehinkel A, Vollebergh W, Ormel J. Does neuroticism explain variations in care service use for mental health problems in the general population? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2005; 40: 425-431.
- Janssen I, Krabbendam L, Hanssen M, Bak M, Vollebergh W, Graaf R de, Os J van. Are apparent associations between parental representations and psychosis risk mediated by early trauma? *Acta Psychiatrica Scandinavica* 2005; 112: 372-375.
- Krabbendam L, Myin-Germeys I, Hanssen M, Graaf R de, Vollebergh W, Bak M, Os J van. Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. *British Journal of Clinical Psychology* 2005; 44: 113-125.
- Kruijshaar ME, Barendregt J, Vos T, Graaf R de, Spijker J, Andrews G. Lifetime prevalence estimates of major depression: An indirect estimation method and a quantification of recall bias. *European Journal of Epidemiology* 2005; 20: 103-111.
- Kruijshaar ME, Hoeymans N, Spijker J, Stouthard MEA, Essink-Bot ML. Has the burden of depression been overestimated? *Bulletin of the World Health Organization* 2005; 84: 443-448.
- Leue C, Neleman J, Graaf R de, Vollebergh W, Stockbrügger RW, Os J van. Bidirectional associations between depression / anxiety and bowel disease in a population based cohort (letter). *Journal Epidemiology Community Health* 2005; 59: 434-435.
- Sareen J, Cox BJ, Afifi TO, Graaf R de, Asmundson GJG, Have M ten, Stein MB. Anxiety disorders and risk for suicidal ideation and suicide attempts: a population-based longitudinal study of adults. *Archives of General Psychiatry* 2005; 62: 1249-1257.
- Thewissen V, Myin-Germeys I, Bentall R, Graaf R de, Vollebergh W, Os J van. Hearing impairment and psychosis revisited. *Schizophrenia Research* 2005; 76: 99-103.

2006

- Bruijn C de, Brink W van den, Graaf R de, Vollebergh WAM. The three year course of alcohol use disorders in the general population: DSM-IV, ICD-10 and the Craving Withdrawal Model. *Addiction* 2006; 101: 385-392.
- Cuijpers P, Meer R van der, Have M ten, Graaf R de. Epidemiology of smoking and comorbid psychiatric disorders (letter). *Journal European Neuropsychopharmacology* 2006; 16 (Supplement 4), S200.
- Enns MW, Cox BJ, Afifi TO, Graaf R de, Have M ten, Sareen J. Childhood adversities and risk for suicidal ideation and attempts: a longitudinal population-based study. *Psychological Medicine* 2006; 36: 1769-1778.
- Graaf R de, Sandfort T, Have M ten. Suicidality and sexual orientation: differences between men and women in a general population-based sample from The Netherlands. *Archives of Sexual Behavior* 2006; 35: 253-262.
- Henquet C, Krabbendam L, Graaf R de, Have M ten, Os J van. Cannabis use and expression of mania in the general population. *Journal of Affective Disorders* 2006; 95:



103-110.

- Kaymaz N, Krabbendam L, Graaf R de, Nolen W, Have M ten, Os J van. Evidence that the urban environment specifically impacts on the psychotic but not the affective dimension of bipolar disorder. *Social Psychiatry and Psychiatric Epidemiology* 2006; 41: 679-685.
- Have M ten, Iedema J, Ormel J, Vollebergh W. Explaining service use for mental health problems in the Dutch general population: the role of resources, emotional disorder and functional impairment. *Social Psychiatry and Psychiatric Epidemiology* 2006; 41: 285-293.
- Overbeek G, Vollebergh WAM, Graaf R de, Scholte R, Kemp R de, Engels R. Longitudinal associations of marital quality and marital dissolution with the incidence of DSM-III-R disorders. *Journal of Family Psychology* 2006; 20: 284-291.
- Regeer EJ, Krabbendam L, Graaf R de, Have M ten, Nolen WA, Os J van. A prospective study of the transition rates of subthreshold (hypo)mania and depression in the general population. *Psychological Medicine* 2006; 36: 619-627.
- Smit F, Cuijpers P, Oostenbrink J, Batelaan N, Graaf R de, Beekman A. Costs of nine common mental disorders: implications for curative and preventive psychiatry. *Journal of Mental Health Policy and Economics* 2006; 9: 193-200.
- Spijker J, Graaf R de, Ormel J, Nolen WA, Grobbee DE, Burger H. The persistence of depression score. *Acta Psychiatrica Scandinavica* 2006; 114: 411-416.
- Werf S van der, Kaptein KI, Jonge P de, Spijker J, Graaf R de, Korf J. Major depressive episodes and random mood. *Archives of General Psychiatry* 2006; 63: 509-518.

2007

- Afifi TO, Enns MW, Cox BJ, Graaf R de, Have M ten, Sareen J. Child abuse and health-related quality of life in adulthood. *Journal of Nervous and Mental Disease* 2007; 195: 797-804.
- Batelaan N, Graaf R de, Balkom A van, Vollebergh W, Beekman A. Thresholds for health and thresholds for illness: panic disorder versus subthreshold panic disorder. *Psychological Medicine* 2007; 37: 247-256.
- Batelaan N, Smit F, Graaf R de, Balkom A van, Vollebergh W, Beekman A. Economic costs of full-blown and subthreshold panic disorder. *Journal of Affective Disorders* 2007; 104: 127-136.
- Cougnard A, Marcelis M, Myin-Germeys I, Graaf R de, Vollebergh W, Krabbendam L, Lieb R, Wittchen H-U, Henquet C, Spauwen J, Os J van. Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. *Psychological Medicine* 2007; 37: 513-527.
- Cuijpers P, Smit F, Oostenbrink J, Graaf R de, Have M ten, Beekman A. Economic costs of minor depression: a population-based study. *Acta Psychiatrica Scandinavica* 2007; 115: 229-236.
- Cuijpers P, Smit F, Have M ten, Graaf R de. Smoking is associated with first-ever incidence of mental disorders: a prospective population-based study. *Addiction* 2007; 102: 1303-1309.
- Kaptein KI, Jonge P de, Korf J, Spijker J, Graaf R de, Werf SY van der. Random-mood



interpretation of determinants for major depression. *Psychological Medicine* 2007; 37: 1261-1271.

- Kaymaz N, Os J van, Graaf R de, Have M ten, Nolen W, Krabbendam L. The impact of subclinical psychosis on the transition from subclinical mania to bipolar disorder. *Journal of Affective Disorders* 2007; 98: 55-64.
- Köhler S, Os J van, Graaf R de, Vollebergh W, Verhey F, Krabbendam L. Psychosis risk as a function of age at onset. A comparison between early- and late-onset psychosis in a general population sample. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 288-294.
- Laar M van, Dorsselaer S, Monshouwer K, Graaf R de. Does cannabis use predict the first incidence of mood and anxiety disorders in the adult population? *Addiction* 2007; 102: 1251-1260.
- Marquenie LA, Schadé A, Balkom AJLM van, Comijs HC, Graaf R de, Vollebergh WAM, Dyck R van, Brink W van den. Origin of the comorbidity of anxiety disorders and alcohol dependence: findings from a general population study. *European Addiction Research* 2007; 13: 39-49.
- Overbeek G, Have M ten, Vollebergh W, Graaf R de. Parental lack of care and overprotection: longitudinal associations with DSM-III-R disorders. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 87-93.
- Peen J, Dekker J, Schoevers RA, Have M ten, Graaf R de, Beekman AT. Is the prevalence of psychiatric disorders associated with urbanization? *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 984-989.
- Plaisier I, Bruijn JGM, Graaf R de, Have M ten, Beekman A, Penninx BW. The contribution of working conditions and social support to the onset of depressive and anxiety disorders among male and female employees. *Social Science & Medicine* 2007; 64: 401-410.
- Sareen J, Jagdeo A, Cox BJ, Have M ten, Clara I, Belik S-L, Graaf R de, Stein MB. Perceived barriers toward mental health service utilization in the United States, Ontario, and the Netherlands. *Psychiatric Services* 2007; 58: 357-364.
- Shevlin M, Adamson G, Vollebergh W, Graaf R de, Os J van. An application of item response mixture modelling to psychosis indicators in two large community samples. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 771-779.
- Smits N, Smit F, Cuijpers P, Graaf R de. Using decision theory to derive optimal cut-off scores of screening instruments: an illustration explicating costs and benefits of mental health screening. *International Journal of Methods in Psychiatric Research* 2007; 16: 219-229.
- Spijker J, Graaf R de, Oldehinkel T, Nolen WA, Ormel J. Are vulnerability effects of personality and psychosocial functioning on depression accounted for by subthreshold symptoms? *Depression and Anxiety* 2007; 24: 472-478.
- Thewissen V, Myin-Germeys I, Bentall R, Graaf R de, Vollebergh W, Os J van. Instability in self-esteem and paranoia in a general population sample. *Social Psychiatry and Psychiatric Epidemiology* 2007; 42: 1-5.

2008

- Acarturk C, Graaf R de, Straten A van, Have M ten, Cuijpers P. Social phobia and number



of social fears, and their association with comorbidity, health-related quality of life and help seeking. A population-based study. *Social Psychiatry and Psychiatric Epidemiology* 2008; 43: 273-279.

- Depla MFIA, Have ML ten, Balkom AJLM van, Graaf R de. Specific fears and phobias in the general population: results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2008; 43: 200-208.
- Michon HWC, Have M ten, Kroon H, Weeghel J van, Graaf R de, Schene AH. Mental disorders and personality traits as determinants of impaired work functioning. *Psychological Medicine* 2008; 38: 1627-1637.
- Penninx BWJH, Beekman ATF, Smit JH, Zitman FG, Nolen WA, Spinhoven P, Cuijpers P, Jong P de, Marwijk HWJ van, Assendelft WJJ, Meer K van der, Verhaak P, Wensing M, Graaf R de, Hoogendoijk WJ, Ormel J, Dyck R van, for the NESDA research consortium. The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *International Journal of Methods in Psychiatric Research* 2008; 17: 121-140.
- Plaisier I, Bruijn JGM, Smit JH, Graaf R de, Have M ten, Beekman ATF, Dyck R van, Penninx BWJH. Work and family roles and the association with depressive and anxiety disorders: Differences between men and women. *Journal of Affective Disorders* 2008; 105: 63-72.
- Plaisier I, Beekman ATF, Bruijn JGM de, Graaf R de, Have M ten, Smit JH, Dyck R van, Penninx BWJH. The effect of social roles on mental health: A matter of quantity or quality? *Journal of Affective Disorders* 2008; 111: 261-270.
- Verhagen M, Meij A van der, Franke B, Vollebergh W, Graaf R de, Buitelaar J, Janzing JG. Familiality of major depressive disorder and gender differences in comorbidity. *Acta Psychiatrica Scandinavica* 2008; 118: 130-138.
- Verhagen M, Meij A van der, Franke B, Vollebergh WAM, Graaf R de, Buitelaar JK, Janzing JG. Familiality of major depressive disorder and patterns of lifetime comorbidity. The NEMESIS and GenMood studies; a comparison of three samples. *European Archives of Psychiatry and Clinical Neuroscience* 2008; 258: 505-512.

2009

- Acarturk C, Smit F, Graaf R de, Straten A van, Have M ten, Cuijpers P. Incidence of social phobia and identification of its risk indicators: a model for prevention. *Acta Psychiatrica Scandinavica* 2009; 119: 62-70.
- Acarturk C, Smit F, Graaf R de, Straten A van, Have M ten, Cuijpers P. Economic costs of social phobia: a population-based study. *Journal of Affective Disorders* 2009; 115: 421-429.
- Cuijpers P, Smits N, Donker T, Have M ten, Graaf R de. Screening for mood and anxiety disorders with the five-item, the three-item, and the two-item Mental Health Inventory. *Psychiatry Research* 2009; 168: 250-255.
- Have M ten, Graaf R de, Dorsselaer S van, Verdurmen J, Land H van 't, Vollebergh W, Beekman A. Incidence and course of suicidal ideation and suicide attempts in the general population. *The Canadian Journal of Psychiatry* 2009; 54: 824-833.
- Janzing JGE, Graaf R de, Have M ten, Vollebergh WA, Verhagen M, Buitelaar JK. Familiality of depression in the community; associations with gender and phenotype of major



depressive disorder. *Social Psychiatry and Psychiatric Epidemiology* 2009; 44: 1067-1074.

- Regeer EJ, Krabbendam L, Graaf R de, Have M ten, Nolen WA, Os J van. Berkson's bias and the mood dimensions of bipolar disorder. *International Journal of Methods in Psychiatric Research* 2009; 18: 279-286.
- Rhebergen D, Beekman ATF, Graaf R de, Nolen WA, Spijker J, Hoogendoijk WJ, Penninx BWJH. The three-year naturalistic course of major depressive disorder, dysthymic disorder and double depression. *Journal of Affective Disorders* 2009; 115: 450-459.
- Rietdijk J, Os J van, Graaf R de, Delespaul P, Gaag M van der. Are social phobia and paranoia related, and which comes first? *Psychosis* 2009; 1: 29-38.

2010

- Batelaan NM, Graaf R de, Spijker J, Smit JH, Balkom AJLM van, Vollebergh WAM, Beekman ATF. The course of panic attacks in individuals with panic disorder and subthreshold panic disorder: a population-based study. *Journal of Affective Disorders* 2010; 121: 30-38.
- Batelaan NM, Graaf R de, Penninx BWJH, Balkom AJLM van, Vollebergh WAM, Beekman ATF. The 2-year prognosis of panic episodes in the general population. *Psychological Medicine* 2010; 40: 147-157.
- Batelaan NM, Smit F, Graaf R de, Balkom AJLM van, Vollebergh WAM, Beekman ATF. Identifying target groups for the prevention of anxiety disorders in the general population. *Acta Psychiatrica Scandinavica* 2010; 122: 56-65.
- Bruijn C de, Beun S, Graaf R de, Have M ten, Denys D. Subthreshold symptoms and obsessive-compulsive disorder: evaluating the diagnostic threshold. *Psychological Medicine* 2010; 40: 989-997.
- Cuijpers P, Smit F, Penninx B, Graaf R de, Have M ten, Beekman A. Economic costs of neuroticism: a population-based study. *Archives of General Psychiatry* 2010; 67: 1086-1093.
- Feltz-Cornelis CM van der, Have M ten, Penninx BW, Beekman ATF, Smit JH, Graaf R de. Presence of comorbid somatic disorders among patients referred to mental health care in the Netherlands. *Psychiatric Services* 2010; 61: 1119-1125.
- Have M ten, Graaf R de. Focus suicide prevention also on suicidal ideation and suicide attempts (letter). *The Canadian Journal of Psychiatry* 2010; 55: 398-399.
- Land H van 't, Verdurmen J, Have M ten, Dorsselaer S van, Beekman A, Graaf R de. The association between arthritis and psychiatric disorders; results from a longitudinal population-based study. *Journal of Psychosomatic Research* 2010; 68: 187-193.
- Overbeek G, Vermulst A, Graaf R de, Have M ten, Engels R, Scholte R. Positive life events and mood disorders: longitudinal evidence for an erratic lifecourse hypothesis. *Journal of Psychiatric Research* 2010; 44: 1095-1100.
- Rhebergen D, Beekman ATF, Graaf R de, Nolen WA, Spijker J, Hoogendoijk WJ, Penninx BWJH. Trajectories of recovery of social and physical functioning in major depression, dysthymic disorder and double depression: a 3-year follow-up. *Journal of Affective Disorders* 2010; 124: 148-156.
- Spijker J, Batelaan N, Graaf R de, Cuijpers P. Who is MADD? Mixed anxiety depressive



disorder in the general population. *Journal of Affective Disorders* 2010; 121: 180-183.

- Spijker J, Graaf R de, Have M ten, Nolen WA, Speckens A. Predictors of suicidality in depressive spectrum disorders in the general population. Results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology* 2010; 45: 513-521.

2011

- Bergsma A, Have M ten, Veenhoven R, Graaf R de. Most people with mental disorders are happy; A 3-year follow-up in the Dutch general population. *Journal of Positive Psychology* 2011; 6: 253-259.
- Bergsma A, Veenhoven R, Have M ten, Graaf R de. Do they know how happy they are? On the value of self-rated happiness of people with a mental disorder. *Journal of Happiness Studies* 2011; 12: 793-806.
- Bergsma A, Veenhoven R, Have M ten, Graaf R de. The loss of happy life years associated with mental disorders in the Netherlands. *Netherlands Journal of Psychology* 2011; 66: 33-34.
- Blom R, Hagestein-de Bruijn C, Graaf R de, Have M ten, Denys D. Obsessions in normality and psychopathology. *Depression and Anxiety* 2011; 28: 870-875.
- Blom RM, Koeter M, Brink W van den, Graaf R de, Have M ten, Denys D. Co-occurrence of obsessive-compulsive disorder and substance use disorder in the general population. *Addiction* 2011; 106: 2178-2185.
- Cuijpers P, Smit F, Unger F, Stikkelbroek Y, Have M ten, Graaf R de. The disease burden of childhood adversities in adults: A population-based study. *Child Abuse & Neglect* 2011; 35: 937-945.
- Dael F van, Os J van, Graaf R de, Have M ten, Krabbendam L, Myin-Germeys I. Can obsessions drive you mad? Longitudinal evidence that obsessive-compulsive symptoms worsen the outcome of early psychotic experiences. *Acta Psychiatrica Scandinavica* 2011;123: 136-146.
- Have M ten, Graaf R de, Monshouwer K. Physical exercise in adults and mental health status. Findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Journal of Psychosomatic Research* 2011; 71: 342-438.
- Land H van 't, Verdurmen J, Have M ten, Dorsselaer S van, Graaf R de. The association between chronic back pain and psychiatric disorders; results from a longitudinal population-based study. In: Anxiety and related disorders (Ed: Szirmai A), pp 247-256. InTech, 2011. ISBN 978-953-307-254-8.
- Rhebergen D, Batelaan NM, Graaf R de, Nolen WA, Spijker J, Beekman ATF, Penninx BWJH. The 7-year course of depression and anxiety in the general population. *Acta Psychiatrica Scandinavica* 2011; 123: 297-306.
- Smitten M ter, Graaf R de, Loey NE van. Prevalence and co-morbidity of psychiatric disorders 1-4 years post-burn. *Burns* 2011; 37: 752-760.
- Visser I, Wekking EM, Boer AGEM de, Joode EA de, Hout MSE van, Dorsselaer S van, Ruhe HG, Huijser J, Laan G van der, Dijk FJH van, Schene AH. Prevalence of psychiatric disorders in patients with chronic solvent induced encephalopathy (CSE). *NeuroToxicology* 2011; 32: 916-922.



2012

- Batelaan N, Spijker J, Graaf R de, Cuijpers P. Mixed anxiety depression should not be included in DSM-5. *Journal of Nervous and Mental Disease* 2012; 200: 495-498.
- Batelaan NM, Rhebergen D, Graaf R de, Spijker J, Beekman ATF, Penninx BW. Panic attacks as a dimension of psychopathology: evidence for associations with onset and course of mental disorders and level of functioning. *Journal of Clinical Psychiatry* 2012; 73: 1195-1202.
- Konings M, Stefanis N, Kuepper R, Graaf R de, Have M ten, Os J van, Bakoula C, Henquet C. Replication in two independent population-based samples that childhood maltreatment and cannabis use synergistically impact on psychosis risk. *Psychological Medicine* 2012; 42: 149-159.
- Rhebergen D, Lamers F, Spijker J, Graaf R de, Beekman ATF, Penninx BWJH. Course trajectories of unipolar depressive disorders identified by latent class growth analysis. *Psychological Medicine* 2012; 42: 1383-1396.
- Stikkelbroek Y, Prinzie P, Graaf R de, Have M ten, Cuijpers P. Parental death during childhood: psychopathology in adulthood. *Psychiatry Research* 2012; 198: 516-520.

2013

- Hardeveld F, Spijker J, Graaf R de, Nolen WA, Beekman ATF. Recurrence of major depressive disorder and its predictors in the general population: Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Psychological Medicine* 2013; 43: 39-48.
- Lokkerbol J, Adema D, Graaf R de, Have M ten, Cuijpers P, Beekman A, Smit F. Non-fatal burden of disease due to mental disorders. *Social Psychiatry and Psychiatric Epidemiology* 2013; 48: 1591-1599.
- Smeets F, Lataster T, Winkel R van, Graaf R de, Have M ten, Os J van. Testing the hypothesis that psychotic illness begins when subthreshold hallucinations combine with delusional ideation. *Acta Psychiatrica Scandinavica* 2013; 127: 34-47.

2014

- MJ, Selten J-P, Myin-Germeys I, Graaf R de, Have M ten, Dorsselaer S van, Os J van, Veling W. Sexual minority status and psychotic symptoms. findings from the Netherlands Mental Health Survey and Incidence Studies (NEMESIS). *Psychological Medicine* 2014; 44: 421-433. Remove from folder
- Werf M van der, Hanssen M, Köhler S, Verkaaik M, Verhey FR, RISE Investigators, Winkel R van, Os J van, Allardyce J. Systematic review and collaborative recalculation of 133693 incident cases of schizophrenia. *Psychological Medicine* 2014; 44: 9-16.
- M van, Lataster T, Smeets F, GuntherN, ZelstC van, GraaffR de, HaveM ten, Dorsselaer S van, Bak M, Myin-Germeys I, Viechtbauer W, Os J van, Winkel R van. Psychopathological mechanisms linking childhood traumatic experiences to risk of psychotic symptoms: analysis of a large, representative population-based sample. *Schizophrenia Bulletin* 2014; 40 Suppl 2; S123-S130.



2015

- Kruijshaar ME, Barendregt J, Vos T, Graaf R de, Spijker J, Andrews G. *Lifetime prevalence estimates of major depression: An indirect estimation method and a quantification of recall bias.* In: Psychopathology and Abnormal Psychology. Volume II: Anxiety, mood & trauma-related disorders. Ed: G.C.L. Davey. SAGE Publications, Chapter 28, pp 367-380.
- Regeer EJ, Kupka RW, Have M ten, Vollebergh W, Nolen WA. Low self-recognition and awareness of past hypomanic and manic episodes in the general population. *International Journal of Bipolar Disorders* 2015; 3:22. DOI 10.1186/s40345-015-0039-8.

2016

- Thielen F, Have M ten, Graaf R de, Cuijpers P, Beekman A, Evers S, Smit F. Long-term economic consequences of child maltreatment: a population-based study. *European Child and Adolescent Psychiatry* 2016; 25: 1297-1305.

2017

- IEH, Nyberg ST, Magnusson Hanson LL, Ferrie JE, Ahola K, Alfredsson L, Batty GD, Bjorner JB, Borritz M, BurrH, Chastang JF, Graaf R de, Dragano N, Brødsgaard Grynderup M, Hamer M, Jokela M, Knutsson A, Kolstad H, Koskenvuo M, Koskinen A, Leineweber C, Mikkelsen S, Niedhammer I, Nielsen ML, Nordin M, Oksanen T, PejtersenJH, Pentti J, Plaisier I, Salo P, Singh-Manoux A, Suominen S, Have M ten, Theorell T, Frølund Thomsen J, Toppinen-Tanner S, Vahtera J, Väänänen A, Westerholm PJM, Westerlund H, Fransson E, Heikkilä K, Virtanen M, Rugulies R, Kivimäki M, for the IPD-Work Consortium. Job strain as a risk factor for clinical depression: Systematic review and meta-analysis with additional individual participant data. *Psychological Medicine* 2017; 47: 1342-1356.
- Wang Y, Henriksen CA, Have M ten, Graaf R de, Stein MB, Enns MW, Sareen J. Common mental disorder diagnosis and need for treatment are not the same: Findings from the NEMESIS Study. *Administration and Policy in Mental Health and Mental Health Services Research* 2017; 44: 572-581.
- Wardenaar KJ, Wanders RBK, Have M ten, Graaf R de, Jonge P de. Using a hybrid subtyping model to capture patterns and dimensionality of depressive and anxiety symptomatology in the general population. *Journal of Affective Disorders* 2017; 215: 125-134.

Nederlandstalige artikelen

1997

- Bijl RV. *Schizofrenie.* In: Maas IAM, Gijsen R, Lobbezoo IE, Poos MJJC (eds).



- Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroomb, 1997, p. 293-299.
- Bijl RV, Rijk C de. *Depressie*. In: Maas IAM, Gijsen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroomb, 1997, p. 300-308.
 - Bijl RV, Zessen G van, Ravelli A. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. II. Prevalentie van psychiatrische stoornissen. *Nederlands Tijdschrift voor Geneeskunde* 1997; 141: 2453-2460.
 - Bijl RV, Zessen G van, Ravelli A, Rijk C de , Langendoen Y. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. I. Doelstellingen, opzet en methoden. *Nederlands Tijdschrift voor Geneeskunde* 1997; 141: 2448-2452.
 - Zessen G van, RV Bijl, Ravelli A, Rijk K de. *Voorkomen van psychische stoornissen: het Nemesis project*. In: Maas IAM, Gijsen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroomb, 1997, p. 860-869.
 - Zessen G van. *Seksueel gedrag*. In: Maas IAM, Gijsen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroomb, 1997, p. 700-706.
 - Zwart W de, Bijl RV. *Afhankelijkheid van alcohol, drugs en andere middelen*. In: Maas IAM, Gijsen R, Lobbezoo IE, Poos MJJC (eds). Volksgezondheid Toekomst Verkenning 1997. I. De Gezondheidstoestand: een actualisering. Bilthoven/Maarssen, RIVM, Elsevier/De Tijdstroomb, 1997, p. 323-335.

1998

- Bijl RV, Ravelli A. Psychiatrische morbiditeit, zorggebruik en zorgbehoefte. Resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Tijdschrift voor gezondheidswetenschappen* 1998; 76: 446-457.
- Ravelli A, Bijl RV, Zessen G van. Comorbiditeit van psychiatrische stoornissen in de Nederlandse bevolking; resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Tijdschrift voor Psychiatrie* 1998; 40: 531-544.

2001

- Spijker J, Bijl RV, Dekker J, Peen J. Psychiatrische morbiditeit in de grote steden. Een vergelijking van Amsterdam in het bijzonder met de drie overige grote steden (Den Haag, Rotterdam en Utrecht) tezamen en de rest van Nederland. *Tijdschrift voor Gezondheidswetenschappen* 2001; 79: 155-161.

2002

- Have M ten, Schoemaker C, Vollebergh WAM. Genderverschillen in psychische stoornissen, consequenties en zorggebruik. Resultaten van de Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Tijdschrift voor Psychiatrie* 2002; 44: 367-375.
- Peen J, Bijl RV, Spijker J, Dekker J. Neemt de prevalentie van psychiatrische stoornissen



toe met de stedelijkheidsgraad? *Tijdschrift voor Psychiatrie* 2002; 44: 225-235.

- Sandfort TGM, Graaf R de, Bijl RV, Schnabel P. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. III. Psychiatrische stoornissen vaker bij homo- dan bij heteroseksuele personen. *Nederlands Tijdschrift voor Geneeskunde* 2002; 146: 1687-1691.
- Sandfort ThGM, Graaf R de, Bijl RV, Schnabel P. Reactie op J. Schippers' "Homoseksualiteit en psychiatrische stoornissen: samenhang niet aangetoond". *Nederlands Tijdschrift voor Geneeskunde* 2002; 146: 1755-1756.

2003

- Spijker J, Graaf R de, Bijl RV, Beekman ATF, Ormel J, Nolen WA. Psychiatrische morbiditeit onder volwassenen in Nederland: het NEMESIS-onderzoek. IV. Duur van depressieve episoden. *Nederlands Tijdschrift voor Geneeskunde* 2003; 147: 2025-2028.

2004

- Bak M, Delespaul P, Hanssen M, Graaf R de, Vollebergh W, Os J van. Voorspellende waarde van niet door clinici erkende positieve psychotische symptomen. *Tijdschrift voor Psychiatrie* 2004; 46: 285-293.
- Spijker J, Bijl RV, Graaf R de, Beekman ATF, Ormel J, Nolen WA. Depressie: langer durende episode niet zonder meer een verwijsindicatie. *Nederlands Tijdschrift voor Geneeskunde* 2004; 148: 247-248.
- Spijker J, Bijl RV, Nolen WA. Duur van depressieve episoden en voorspellers van beloop: resultaten van NEMESIS. *Huisarts en Wetenschap* 2004; 2: 70-73.

2005

- Batelaan NM, Graaf R de, Balkom AJLM van, Vollebergh WAM, Beekman ATF. De epidemiologie van paniek. *Tijdschrift voor Psychiatrie*. In press.
- Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Beekman ATF, Vollebergh WAM. Verschillen tussen etnische groepen in psychiatrische morbiditeit. Resultaten van NEMESIS. *Maandblad Geestelijke volksgezondheid* 2005; 60: 703-716.

2006

- Bruijn C de, Brink W van den, Graaf R de. Alcoholisme en DSM-IV. Alcoholisme: een chronische recidiverende ziekte? *Verslaving; Tijdschrift over Verslavingsproblematiek* 2006; 2: 50-60.

2007

- Laar M van, Dorsselaer S van, Monshouwer K, Graaf R de. Cannabisgebruikers kampen vaak met psychische stoornissen. *Tijdschrift voor Verslaving* 2007; 3: 3-14.

2011



- Overbeek G, Vermulst A, Graaf R de, Have M ten, Engels R, Scholte R. Positieve levensgebeurtenissen en stemmingstoornissen: longitudinaal bewijs voor een chaotische levensloophypothese. *Tijdschrift voor Psychiatrie* 2011; 53: 321-332.

2013

- Batelaan NM. De invloed van paniekaanvallen op psychiatrische stoornissen (Rubriek: Nederlands-Vlaams top onderzoek). *Tijdschrift voor Psychiatrie* 2013; 55: 140.

2016

- Speetjens P, Thielen F, Have M ten, Graaf R de, Smit F. Kindermishandeling: economische gevolgen op lange termijn. *Tijdschrift voor Psychiatrie* 2016; 58: 706-711.

Nederlandstalige rapporten

1. Graaf R de, Ravelli A, Langendoen Y, Spijker J, Vollebergh W, Smit F, Bijl R. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 9. Respons en non-respons tweede meting*. Utrecht: Trimbos-instituut, 1998.
2. Graaf R de, Ravelli A, Langendoen Y, Spijker J, Vollebergh W, Bijl R. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 8. Schaalconstructie tweede meting*. Utrecht: Trimbos-instituut, 1998.
3. Camp K van de, Bijl RV. *Psychische problemen, zorggebruik en behoefte aan zorg in Noord-Holland: 1999 en 2010*. Utrecht, Trimbos-instituut, 1999.
4. Dorsselaer S van, Graaf R de, Vollebergh W, Bijl R, Laitinen-Krispijn S, Spijker J. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 10. Schaalconstructie derde meting*. Utrecht: Trimbos-instituut, 2000.
5. Dorsselaer S van , Bijl RV. *Zorggebruik en zorgbehoefte in regio Oostelijk Utrecht, 2000 - 2010*. Utrecht, Trimbos-instituut, 2000.
6. Graaf R de, Bijl RV, Vollebergh W, Dorsselaer S van, Spijker J, Smit F, Laitinen-Krispijn S. *Netherlands Mental Health Survey and Incidence Study. Technisch Rapport no. 11. Respons en non-respons derde meting*. Utrecht: Trimbos-instituut, 2000.
7. Have M ten, Vollebergh W, Bijl R, Nolen W. Prevalentie en zorggebruik bipolaire stoornissen in Nederland. In: Polikar L, Vollebergh W. *De bipolaire stoornis. Een slecht herkend probleem*. Utrecht: Trimbos-instituut, 2000: pp. 15-34.
8. Perenboom R, Oudshoorn K, Herten L van, Hoeymans N, Bijl RV. *Levensverwachting in goede geestelijke gezondheid: Bepaling afkappunten en wegingsfactoren voor de MHI-5 en GHQ-12*. Leiden, TNO Preventie en gezondheid, 2000 (TNO-rapport PG/VGZ/99.067).
9. Have M ten, Bijl RV, Camp K van de. Behoefte en bereik. *Kwantitatieve verkenning van de geestelijke gezondheidszorg en verslavingszorg in Oostelijk Zuid-Limburg, 1996-2010*. Utrecht, Trimbos-instituut, 2001.
10. Have M ten, Vollebergh WAM. *Psychiatrische problematiek in drie grote steden van Nederland*. Utrecht, Trimbos-instituut, 2001.
11. Have M ten, Dorsselaer S van, Giesbers H, Veen A van der, WAM Vollebergh. *AGGZ op de kaart. Vraag en aanbod van ambulante geestelijke gezondheidszorg in regionaal perspectief*. Utrecht, Trimbos-instituut, 2002.



12. Laitinen-Krispijn S, Bijl R. *Werk, psyche en ziekteverzuim. Aard en omvang van psychische stoornissen, ziekteverzuim en zorggebruik in de beroepsbevolking*. Utrecht, Trimbos-instituut, 2002.
13. Laitinen-Krispijn S, Schoemaker C. Psychische stoornissen en ziekteverzuim onder werkenden. In: Verbraak MJPM (red.). *Preventie van verzuim als gevolg van werkstress, burnout en overige psychische klachten. Achtergronden, instrumenten & interventies*, p. 45-68. Nijmegen, Cure & Care Publishers, 2003.
14. Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Vollebergh W. *Antisociale persoonlijkheidsstoornis bij volwassenen. Een notitie ten behoeve van een tweede NEMESIS*. Utrecht, Trimbos-instituut, 2003.
15. Verdurmen J, Monshouwer K, Dorsselaer S van, Graaf R de. *Bovenmatig drinken in Nederland; Uitkomsten van de 'Netherlands Mental Health Survey and Incidence Study' (Nemesis)*. Achtergrondstudie Nationale Drugmonitor NDM. Utrecht: Bureau NDM, 2003.
16. Vollebergh WAM, Graaf R de, Have M ten, Schoemaker CG, Dorsselaer S van, Spijker J, Beekman ATF. *Psychische stoornissen in Nederland; overzicht van de resultaten van NEMESIS*. Utrecht: Trimbos-instituut, 2003.
17. Graaf R de, Vollebergh WAM. *Notitie over de haalbaarheid van aansluiting van het Nationaal Prevalentie Onderzoek naar middelengebruik in de algemene bevolking bij NEMESIS-II*. Ministerie van VWS, 2004. Aangeboden.
18. Graaf R de, Have M ten, Dorsselaer S van, Schoemaker C, Vollebergh WAM. *Etniciteit in onderzoek naar psychische stoornissen. Een notitie ten behoeve van een tweede NEMESIS*. Utrecht, Trimbos-instituut, 2004.
19. Have M ten, Graaf R de, Dorsselaer S van, Schoemaker C, Beekman A, Vollebergh W. *Zorgbehoeften vanwege psychische problemen en attituden ten aanzien van GGZ-behandeling. Een notitie ten behoeve van een tweede NEMESIS*. Utrecht, Trimbos-instituut, 2004.
20. Vollebergh WAM, Graaf R de, Have M ten, Schoemaker CG, Dorsselaer S van, Spijker J, Beekman ATF. *NEMESIS-II. De Netherlands Mental Health Survey and Incidence Study. Een replicatie en uitbreiding van de studie NEMESIS naar prevalentie, incidentie, beloop en gevolgen van psychische problematiek in de bevolking. Protocol*. Utrecht, Trimbos-instituut, 2004.
21. Depla M, Pot AM, Graaf R de, Dorsselaer S van, Sonnenberg C, Deeg D. *Ontwikkeling in het gebruik van geestelijke gezondheidszorg en verslavingszorg door ouderen tot 2020*. Utrecht, Trimbos-instituut, 2005.
22. Laar M van, Dorsselaer S, Monshouwer K, Graaf R de. *Associations between cannabis use and mental disorders in the general population. Does cannabis use predict the first incidence of mood and anxiety disorders?* Utrecht, Trimbos-instituut, 2005.
23. Dorsselaer S van, Graaf R de, Verdurmen J, Land H van 't, Have M ten, Vollebergh W. *Trimbos Kerncijfers Psychische Stoornissen. Resultaten van Nemesis*. Utrecht, Trimbos-instituut, NMG, 2006.
24. Laar M van, Dorsselaer S van, Graaf R de, Have M ten. *Cannabis, sedativa en andere drugs: determinanten van gebruik en samenhang met psychische stoornissen. Resultaten van Nemesis*. Utrecht, Trimbos-instituut, 2006.
25. Verdurmen, J, Have M ten, Dorsselaer S van, Land H van 't, Vollebergh W, Graaf R de.



Psychische stoornissen bij mensen met een lichamelijke aandoening Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS). Utrecht, Trimbos-instituut, NMG, 2006.

26. Dorsselaer S van, Graaf R de, Have M ten, Verdurmen J, Land H van 't, Vollebergh W. *Het verlenen van mantelzorg en het verband met psychische stoornissen. Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, NMG, 2007.
27. Have M ten, Graaf R de, Dorsselaer S van, Verdurmen J, Land H van 't, Vollebergh W. *Suïcidaliteit in de algemene bevolking: gedachten en pogingen. Resultaten van 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, NMG, 2007.
28. Verdurmen J, ten Have M, de Graaf R, van Dorsselaer S, van 't Land H, Vollebergh W. *Psychische gevolgen van kindermishandeling op volwassen leeftijd. Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht: Trimbos-instituut, 2007.
29. Have M ten, Graaf R de, Monshouwer K. *Sporten en psychische gezondheid. Resultaten van de 'Netherlands Mental Health Survey and Incidence Study' (NEMESIS)*. Utrecht, Trimbos-instituut, 2009.
30. Have M ten, Land H van't, Graaf R de. *Voorspellers van zorggebruik in de eerstelijn en de tweedelijns GGZ. Trendrapportage GGZ 2009*. Utrecht, Trimbos-instituut, 2009.
31. Hoeymans N, Have M ten, Spijker B, Graaf R de, Straten A van, Dorsseaer S van, Smit F, Kerkhof A, Schoemaker CG. *De psychische ziekteleast van suïcidaliteit*. In: Hoeymans N, Schoemaker CG (Eds). *De ziekteleast van suïcide en suïcidepogingen*. Bilthoven: RIVM, 2010.



Colofon

Huidig NEMESIS-team

Dr. Margreet ten Have
Dr. Marlous Tuithof
Drs. Saskia van Dorsselaer
Simone Korteling, MSc
Dr. Annemarie Luik

Allen werkzaam bij het Trimbos-instituut:
Da Costakade 45
Postbus 725, 3500 AS Utrecht
T: 030 297 11 00

Voormalig NEMESIS-3 projectleden

Dr. ir. Ron de Graaf
Frederiek Schouten, MSc

Adviescommissie

Prof. dr. Wim van den Brink (voorzitter)
Dr. Carolien van den Brink, RIVM
Prof. dr. Peter de Jonge, Rijksuniversiteit Groningen
Prof. dr. Dike van de Mheen, Tilburg University
Prof. dr. Brenda Penninx, Amsterdam UMC
Dr. Didi Rhebergen, GGz Centraal
Dr. Ineke Stoop

Financiering

De NEMESIS-studie wordt uitgevoerd met financiering van het ministerie van Volksgezondheid, Welzijn en Sport.



Contact opnemen

Wij helpen u graag verder met vragen over NEMESIS.

Vul onderstaand formulier in, dan nemen we zo spoedig mogelijk contact met u op.